

---

---

**Motorcycles — Test and analysis  
procedures for research evaluation of  
rider crash protective devices fitted to  
motorcycles —**

Part 2:

**Definition of impact conditions in relation  
to accident data**

*Motorcycles — Méthodes d'essai et d'analyse de l'évaluation par la  
recherche des dispositifs, montés sur les motos, visant à la  
protection des motocyclistes contre les collisions —*

*Partie 2: Définition des conditions de choc en fonction des données sur  
les accidents*



**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

STANDARDSISO.COM : Click to view the full PDF of ISO 13232-2:2005

© ISO 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

	Page
Foreword.....	v
Introduction.....	vi
<b>1 Scope .....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>1</b>
<b>3 Definitions .....</b>	<b>2</b>
<b>4 Requirements.....</b>	<b>2</b>
<b>4.1 Impact variables.....</b>	<b>2</b>
<b>4.2 Standardized accident configurations .....</b>	<b>3</b>
<b>4.3 Impact configurations for full-scale tests .....</b>	<b>3</b>
<b>5 Analysis methods.....</b>	<b>6</b>
<b>5.1 Using accident data to determine frequency of occurrence of various impact configurations.....</b>	<b>6</b>
<b>5.2 Using accident data to determine frequency of injury by body region and injury type of various impact configurations .....</b>	<b>10</b>
<b>6 Documentation and reporting .....</b>	<b>11</b>
<b>Annex A (normative) Motorcycle accident report.....</b>	<b>12</b>
<b>Annex B (normative) Resulting frequency of occurrence for the combined Los Angeles and Hannover databases .....</b>	<b>15</b>
<b>Annex C (normative) Example accident data.....</b>	<b>18</b>
<b>Annex D (normative) Resulting frequency of injury by body region and injury type for the combined Los Angeles and Hannover databases.....</b>	<b>36</b>
<b>Annex E (informative) Frequency of occurrence data in non-SI units .....</b>	<b>39</b>
<b>Annex F (informative) Rationale for ISO/DIS 13232-2.....</b>	<b>44</b>
 Figures	
Figure 1 — Target impact geometries at first MC/OV contact for seven required impact configurations .....	4
Figure 2 — OV contact point codes.....	6
Figure 3 — MC contact point codes .....	6
Figure 4 — Relative heading angle .....	6
Figure 5 — Diagram of relative heading angle (angle of OV x axis relative to MC x axis, regardless of relative positions of OV and MC) with code numbers .....	8
Figure B.1 — Geometries occurring for 200 combined Los Angeles and Hannover impact configurations involving 501 accidents.....	16
Figure F.1 — Distribution of raw relative heading angles for Los Angeles and Hannover accidents .....	50
Figure F.2 — Examples of geometry reclassification .....	52
Figure F.3 — Examples of removed configurations .....	52

Tables

Table 1 — Impact configurations for preliminary assessment.....	5
Table 2 — Heading angle of OV relative to MC .....	7
Table 3 — OV and MC speed.....	8
Table 4 — Reclassification for left side OV contact point codes .....	9
Table 5 — Reclassification of geometry codes .....	9
Table 6 — List of removed configurations .....	10
Table A.1 — Injury body region codes.....	14
Table A.2 — Injury type codes.....	14
Table B.1 — Opposing vehicle and motorcycle speeds and frequencies of occurrence for 200 combined Los Angeles and Hannover impact configurations.....	17
Table C.1 — Legend for Los Angeles and Hannover databases .....	19
Table C.2 — Los Angeles data.....	20
Table C.3 — Hannover data .....	29
Table D.1 — Head injury configurations (helmeted concussions, AIS ≥ 2) involving 67 accidents .....	36
Table D.2 — Lower leg injury configurations (fractures, AIS ≥ 2) involving 80 accidents .....	37
Table D.3 — Upper leg injury configurations (fractures, AIS ≥ 2) involving 37 accidents .....	38
Table E.1 — Opposing vehicle and motorcycle speeds and frequencies of occurrence for 200 combined Los Angeles and Hannover impact configurations.....	40
Table E.2 — Head injury configurations (helmeted concussions, AIS ≥ 2) involving 67 accidents .....	41
Table E.3 — Lower leg injury configurations (fractures, AIS ≥ 2) involving 80 accidents .....	42
Table E.4 — Upper leg injury configurations (fractures, AIS ≥ 2) involving 37 accidents .....	43

STANDARDSISO.COM: Click to view the full PDF of ISO 13232-2:2005

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 13232-2 was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 22, *Motorcycles*.

This second edition cancels and replaces the first version (ISO 13232-2:1996), which has been technically revised.

ISO 13232 consists of the following parts, under the general title *Motorcycles — Test analysis procedures for research evaluation of rider crash protective devices fitted to motorcycles*:

- *Part 1: Definitions, symbols and general considerations*
- *Part 2: Definition of impact conditions in relation to accident data*
- *Part 3: Motorcyclist anthropometric impact dummy*
- *Part 4: Variables to be measured, instrumentation and measurement procedures*
- *Part 5: Injury indices and risk/benefit analysis*
- *Part 6: Full-scale impact-test procedures*
- *Part 7: Standardized procedures for performing computer simulations of motorcycle impact tests*
- *Part 8: Documentation and reports*

## Introduction

ISO 13232 has been prepared on the basis of existing technology. Its purpose is to define common research methods and a means for making an overall evaluation of the effect that devices which are fitted to motorcycles and intended for the crash protection of riders, have on injuries, when assessed over a range of impact conditions which are based on accident data.

It is intended that all of the methods and recommendations contained in ISO 13232 should be used in all basic feasibility research. However, researchers should also consider variations in the specified conditions (for example, rider size) when evaluating the overall feasibility of any protective device. In addition, researchers may wish to vary or extend elements of the methodology in order to research issues which are of particular interest to them. In all such cases which go beyond the basic research, if reference is to be made to ISO 13232, a clear explanation of how the used procedures differ from the basic methodology should be provided.

ISO 13232 was prepared by ISO/TC 22/SC 22 at the request of the United Nations Economic Commission for Europe Group for Road Vehicle General Safety (UN/ECE/TRANS/SCI/WP29/GRSG), based on original working documents submitted by the International Motorcycle Manufacturers Association (IMMA), and comprising eight interrelated parts.

This revision of ISO 13232 incorporates extensive technical amendments throughout all the parts, resulting from extensive experience with the standard and the development of improved research methods.

In order to apply ISO 13232 properly, it is strongly recommended that all eight parts be used together, particularly if the results are to be published.

STANDARDSISO.COM : Click to view the full PDF of ISO 13232-2:2005

# Motorcycles — Test and analysis procedures for research evaluation of rider crash protective devices fitted to motorcycles —

## Part 2: Definition of impact conditions in relation to accident data

### 1 Scope

This part of ISO 13232 specifies minimum requirements for the collection and analysis of all motorcycle accident data, in order to provide:

- a standardized and representative sub-set of car/motorcycle accident data; and
- a sub-set of car/motorcycle impact conditions based on the analysis of this standardized accident data.

ISO 13232 specifies the minimum requirements for research into the feasibility of protective devices fitted to motorcycles, which are intended to protect the rider in the event of a collision.

ISO 13232 is applicable to impact tests involving:

- two-wheeled motorcycles;
- the specified type of opposing vehicle;
- either a stationary and a moving vehicle or two moving vehicles;
- for any moving vehicle, a steady speed and straight-line motion immediately prior to impact;
- one helmeted dummy in a normal seating position on an upright motorcycle;
- the measurement of the potential for specified types of injury by body region; and
- evaluation of the results of paired impact tests (i.e. comparisons between motorcycles fitted and not fitted with the proposed devices).

ISO 13232 does not apply to testing for regulatory or legislative purposes.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 13232-1, *Motorcycles — Test and analysis procedures for research evaluation of rider crash protective devices fitted to motorcycles — Part 1: Definition, and general considerations*

ISO 13232-7, *Motorcycles — Test and analysis procedures for research evaluation of rider crash protective devices fitted to motorcycles — Part 7: Standardized procedures for performing computer simulations of motorcycle impact tests*

AIS-90:1990, Association for the Advancement of Automotive Medicine (AAAM), Des Plaines, IL, USA *The abbreviated injury scale, 1990 revision*

### 3 Definitions

The following terms are defined in ISO 13232-1. For the purposes of this part of ISO 13232, those definitions apply. Additional definitions which could apply to this part of ISO 13232 are also listed in ISO 13232-1:

- cell;
- cell range;
- centre line of the OV or MC;
- corner of the OV;
- MC front unsprung assembly;
- MC contact point;
- MC impact speed;
- nominal values;
- OV contact point;
- OV impact speed;
- overall length of the OV or MC;
- relative heading angle (rha);
- structural element of the MC.

### 4 Requirements

#### 4.1 Impact variables

The following impact variables shall define an impact test or impact data for an accident:

- relative heading angle;
- opposing vehicle (OV) impact speed;
- motorcycle (MC) impact speed;
- OV contact point;
- MC contact point.

These variables shall be as defined in 4.3 for impact tests and in Annex A for accident reports.



## 4.2 Standardized accident configurations

Standardized accident configurations shall be used for overall evaluations of rider crash protective devices, for failure mode and effects analyses of such devices, and for full-scale impact tests intended to verify such analyses.

The standardized accident configurations and corresponding frequencies shown in Annex B, which are the result of applying the requirements of 4.2.2.1 and clause 5 to the combined accident data listed in Annex C, shall be used for such purposes.

NOTE The accident databases listed in Annex C were the only ones which met the requirements of this part of ISO 13232 and which were made available in a timely way to the group preparing ISO 13232.

### 4.2.1 Data collection for future revisions

In future revisions of ISO 13232, Annex B may be revised to account for different accident databases which may be included in Annex C. In this case, the requirements of 4.2 and clause 5, which are also subject to revision, shall be applied to the contents of Annex C. The results of such revisions to the standardized frequency of injury data, given in Annex D, along with the resulting frequency of occurrence data, given in Annex B, should be considered in potential revisions to the full-scale impact configurations, given in 4.3.

### 4.2.2 Accident sampling

The following impact configurations shall be used in defining impact conditions in relation to accident data.

#### 4.2.2.1 Defining frequency of occurrence of various impact configurations

The accident database for each region shall include at least 200 MC accidents and shall be uniformly sampled data from all reporting facilities for a given region (i.e., a randomized sample). The samples shall be the result of in-depth investigations including on-site measurements and reconstructions. The subsample used, as determined in 5.1.1, shall consist only of those accidents involving impacts between motorcycles and passenger cars. The database shall include all of the impact variables listed in 4.1 and A.1 and shall be available for analysis and potential publication as part of ISO 13232.

#### 4.2.2.2 Defining frequency of injury of various impact configurations

Additionally, for each accident the following injury data for each injury, as defined in A.2, shall be included:

- injury body region;
- injury type;
- injury severity, as defined by the AAAM abbreviated injury scale (AIS).

The database shall also include the variables listed in A.3 and should include the variables listed in A.4.

## 4.3 Impact configurations for full-scale tests

The following impact configurations shall be used for full-scale tests.

### 4.3.1 Required configurations

The impact configurations for full-scale tests shall include those shown in Figure 1 and listed in Table 1, as a preliminary assessment of the proposed protective device.




Figure 1 — Target impact geometries at first MC/OV contact for seven required impact configurations

Table 1 — Impact configurations for preliminary assessment

Configuration number	OV contact point code (Figure 2)	MC contact point code (Figure 3)	Relative heading angle code (Table 2 & Figure 4)	OV speed m/s	MC speed m/s
1	1	4	3	9,8	0
2	1	1	4	6,7	13,4
3	4	1	3	6,7	13,4
4	4	1	2	6,7	13,4
5	4	1	4	6,7	13,4
6	2	2	5	0	13,4
7	4	1	3	0	13,4

The impact configuration code shall comprise a series of three digits describing the OV contact point, the MC contact point, and relative heading angle, respectively, as generally defined in Figures 2, 3, and 4 and Table 2, followed by a hyphen (-), the OV impact speed, and the MC impact speed.

For OV corner contact (e.g., configuration 225-0/13,4 of Figure 1) the reference point on the MC shall be the most outboard structural element on the MC front unsprung assembly.

For testing purposes, the impact geometry may be reflected about the OV centre line (e.g., E45 instead of 225).

#### 4.3.2 Permissible configurations from failure mode and effects analysis

Other impact configurations for which a proposed rider crash protective device might be harmful may be identified through computer simulation according to ISO 13232-7, or other analysis techniques, by analysing those configurations listed in Annex B. These failure mode configurations may be tested in order to verify the results of such analysis.

For full-scale tests and computer simulations, the impact geometries shall be as shown in Figures 1 and B.1, with the following general rules:

- OV corner contact points shall be the 45° tangent points, as shown in Figure 1;
- OV front and rear contact points shall be at the centre line of the OV;
- OV side front, side middle, and side rear contact points shall be the points corresponding to 1/4, 1/2 and 3/4 of the overall length of the OV, respectively, as measured from the foremost point on the OV;
- MC front contact point shall be such that the projection of the MC centre line, forward of the foremost part of the front wheel, at first contact between any portion of the MC or dummy and the OV, intersects a vertical line through the specified OV contact point;
- MC rear contact point shall be such that the projection of the MC centre line, rearward of the rearmost part of the rear wheel, at first contact between any portion of the MC or dummy and the OV, intersects a vertical line through the specified OV contact point;
- MC side contact shall use the conventions given in 4.3.1 and shown in Figure 1 (i.e., for OV front or rear contact use the 143-9,8/0 type of geometry; for OV corner contact use the 225-0/13,4 type of geometry);
- The relative heading angles shall be at the nominal values defined in Table 2 and Figure 4.

For testing purposes, the impact geometry may be reflected about the OV centre line (e.g., E45 instead of 225).

## 5 Analysis methods

### 5.1 Using accident data to determine frequency of occurrence of various impact configurations

Use the following methods when determining frequency of occurrence and injury.

Sort the accident data as described below.




Figure 2 — OV contact point codes




Figure 3 — MC contact point codes




Figure 4 — Relative heading angle

Table 2 — Heading angle of OV relative to MC

Cell range deg	Nominal value deg	Code number
$337,5 < rha \leq 22,5$	0	1
$22,5 < rha \leq 67,5$	45	2
$67,5 < rha \leq 112,5$	90	3
$112,5 < rha \leq 157,5$	135	4
$157,5 < rha \leq 202,5$	180	5
$202,5 < rha \leq 247,5$	225	6
$247,5 < rha \leq 292,5$	270	7
$292,5 < rha \leq 337,5$	315	8

### 5.1.1 Sub-sample definition

Combine the databases listed in Annex C. From the combined, overall database, select all of the cases which have all of these conditions:

- passenger car impact;
- single rider;
- seated rider.

### 5.1.2 Categorization

For each case selected in 5.1.1, and for each impact variable, determine within which cell range the case lies and assign code numbers for the OV and MC contact points and relative heading angle, and nominal values for the OV and MC speeds, based on Tables 2 and 3 and Figures 2, 3, and 5.

### 5.1.3 Sorting

Sort all the subsample accident data into a matrix describing the combinations of the above cells. Determine the number of accidents which lie within the boundaries of each of the cells.

If the OV contact point involves the left side of the OV, then reclassify the OV and MC contact points and relative heading angle according to Table 4. In addition, reclassify all accidents that occur in the sorted geometry codes to the reclassified geometry codes as listed in Table 5, in order to resolve minor inconsistencies which may be present in the original accident data.

Remove all accidents in the cells listed in Table 6 which, as a result of categorization, correspond to untestable configurations.


**5.1.4 Representation**

Associate the number of accidents (frequency of occurrence) in each cell with the OV and MC contact point codes, relative heading angle codes, and OV and MC speed nominal values which will be considered to represent each cell.

**Table 3 — OV and MC speed**

Cell range m/s	Nominal value m/s
$0 \leq \text{speed} \leq 4,0$	0
$4,0 < \text{speed} \leq 8,5$	6,7
$8,5 < \text{speed} \leq 13,3$	9,8
$13,3 < \text{speed} \leq 17,5$	13,4
$17,5 < \text{speed}$	20,1

STANDARDSISO.COM : Click to view the full PDF of ISO 13232-2:2005



**Figure 5 — Diagram of relative heading angle (angle of OV x axis relative to MC x axis, regardless of relative positions of OV and MC) with code numbers**

**Table 4 — Reclassification for left side OV contact point codes**

Sorted	Reclassified
OV contact point code	
A	6
B	5
C	4
D	3
E	2
MC contact point code	
2	4
4	2
Relative heading angle code	
2	8
3	7
4	6
6	4
7	3
8	2

**Table 5 — Reclassification of geometry codes**

Sorted	Reclassified	Sorted	Reclassified	Sorted	Reclassified
113	143	216	114	442	412
116	114	217	143	443	413
117	143	221	131	523	513
121	131	223	313	524	514
125	115	224	314	542	512
126	114	231	131	543	513
127	143	232	132	611	711
128	132	233	143	612	712
133	143	236	226	613	513
137	143	237	227	614	514
138	132	244	114	621	711
141	131	245	115	622	712
142	132	323	313	642	512
144	114	324	314	643	513
145	115	342	312	721	711
212	312	343	313	722	712
213	313	423	413	741	711
215	115	424	414	748	712

Table 6 — List of removed configurations

OV contact point code	MC contact point code	Relative heading angle code	OV speed m/s	MC speed m/s
1	1	1-2, 8	All	All
1	2	2-4	All	All
1	3	4-6	All	All
1	4	6-8	All	All
2	1	1, 4, 8	All	All
2	2	2, 8	All	All
2	3	4-5, 8	All	All
2	4	6-8	All	All
3-5	1	1, 5-8	All	All
3-5	2	1-2, 5-8	All	All
3-5	3	1-8	All	All
3-5	4	1, 4-8	All	All
6	1, 2	5-8	All	All
6	2	3	OV speed > 0	All
6	3	1-8	All	All
6	4	4-7	All	All
7	1	3-7	All	All
7	2	3-7	All	All
7	3	1-8	All	All
7	4	2-7	All	All
1, 2	1-4	1	All	All ≥ OV speed
1	1-4	2, 8	All	All > OV speed
3-7	1-4	1-8	All	0
1-7	3	1-8	0	All
6-7	1	1, 2, 8	All	All ≤ OV speed
6-7	1	3, 4	OV speed > 0	All
1-7	1-4	1-8	0	0

**5.2 Using accident data to determine frequency of injury by body region and injury type of various impact configurations**

Sort the accident data using the same method as described in 5.1, except determine the number of accidents which have at least one injury of the selected body region, injury type and severity which lie within the boundaries of each of the cells. A recommended list of body regions and injury types and severities is included in Annex A.

Perform the analysis for the following injuries:

- head concussions, AIS ≥ 2;



- upper leg fractures, AIS  $\geq$  2;
- lower leg fractures, AIS  $\geq$  2.

For head concussion injuries, only include in the sorting process accidents where a helmet was worn.

## 6 Documentation and reporting

All individual motorcycle accidents shall be documented and reported using the motorcycle accident report form given in Annex A. Any aggregations of accident data should use the following column headings:

- reference number;
- OV contact point;
- MC contact point;
- OV impact speed;
- MC impact speed;
- relative heading angle;
- helmet use;
- number of reported injuries;
- maximum AIS;
- injury description, using a three digit code which defines:
  - injury body region,
  - injury type,
  - injury AIS.

STANDARDSISO.COM : Click to view the full PDF of ISO 13232-2:2005

**Annex A**  
(normative)

**Motorcycle accident report**

**A.1 Impact data (required)**

Case identification (or reference number): \_\_\_\_\_


Collision category (single vehicle, multi-vehicle, object, pedestrian, etc.): \_\_\_\_\_

Motorcycle type (conventional, sport, scooter, moped, etc.): \_\_\_\_\_

Motorcycle engine size (cc): \_\_\_\_\_


Oposing vehicle type (saloon car, truck, etc.): \_\_\_\_\_

**A.1.1 Contact points (primary damage region) circle one**



Geometry code:            
OV MC

**A.1.2 Relative heading angle (angle of OV x axis relative to MC x axis, regardless of relative positions of OV and MC)**



**A.1.3 Impact speed**

OV (m/s): \_\_\_\_\_

MC (m/s): \_\_\_\_\_

**A.2 Injury data (required)**

Include data for each injury, up to 42 injuries (attach additional pages if necessary):

Injury body region (code from Table A.1)	Injury type (code from Table A.2)	Injury AIS <sup>1)</sup>
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

Maximum AIS over all injuries: \_\_\_\_\_

\_\_\_\_\_

1) As defined in AAAM, AIS90

**A.3 Helmet data (required)**

Helmet present (y or n)? \_\_\_\_\_; Retained on head (y or n)? \_\_\_\_\_;

**A.4 Protective clothing data (recommended)**

Leather clothing worn, check as many as appropriate:

Combination suit: \_\_\_\_\_; Jacket: \_\_\_\_\_; Trousers: \_\_\_\_\_; Gloves: \_\_\_\_\_; Boots: \_\_\_\_\_;

**Table A.1 — Injury body region codes**

Body region	Code
Head	1
Face	2
Neck	3
Upper extremity	4
Chest	5
Abdomen	6
Thoracic spine and/or lumbar spine	7
Pelvis and/or hips	8
Thigh	9
Knee	10
Lower leg	11
Ankle and/or foot	12
Other injury location	13

**Table A.2 — Injury type codes**

Injury type	Code
Abrasion and/or contusion	1
Laceration	2
Rupture	3
Dislocation	4
Fracture	5
Amputation	6
Concussion	7
Crush	8
Hematoma	9
Other type of injury	10

## **Annex B**

(normative)

### **Resulting frequency of occurrence for the combined Los Angeles and Hannover databases**

The Los Angeles and Hannover databases have been combined and sorted by frequency of occurrence. The impact configuration geometries are shown in Figure B.1. The OV and MC speeds and frequencies of occurrence for the geometries are given in Table B.1. The three digits of the codes used in this Annex correspond to the OV contact point code, the MC contact point code, and the relative heading angle code, respectively.

STANDARDSISO.COM : Click to view the full PDF of ISO 13232-2:2005




Figure B.1 — Geometries occurring for 200 combined Los Angeles and Hannover impact configurations involving 501 accidents

**Table B.1 — Opposing vehicle and motorcycle speeds and frequencies of occurrence for 200 combined Los Angeles and Hannover impact configurations**

Dimensions in metres per second

114			143			413			711			414		
OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO
0	6,7	3	6,7	0	3	0	6,7	6	0	6,7	9	0	6,7	3
0	9,8	6	6,7	6,7	13	0	9,8	3	0	9,8	10	0	9,8	2
0	13,4	3	6,7	9,8	3	0	13,4	5	0	13,4	3	0	13,4	2
0	20,1	1	6,7	13,4	3	0	20,1	1	0	20,1	2	0	20,1	3
6,7	0	2	9,8	0	3	6,7	6,7	6	6,7	9,8	6	6,7	6,7	3
6,7	6,7	11	9,8	6,7	8	6,7	9,8	8	6,7	13,4	4	6,7	9,8	7
6,7	9,8	14	9,8	9,8	2	6,7	13,4	4	9,8	13,4	1	6,7	13,4	3
6,7	13,4	7	13,4	0	1	6,7	20,1	1	9,8	20,1	4	6,7	20,1	1
6,7	20,1	2	13,4	6,7	8	9,8	6,7	3	TOTAL =		39	9,8	6,7	3
9,8	0	1	13,4	9,8	1	9,8	9,8	4				9,8	9,8	1
9,8	6,7	5	13,4	13,4	1	9,8	20,1	3				9,8	13,4	2
9,8	9,8	3	20,1	0	2	13,4	6,7	1				9,8	20,1	2
9,8	13,4	2	20,1	6,7	2	13,4	9,8	1				TOTAL =		32
9,8	20,1	1	20,1	9,8	1	13,4	13,4	3						
13,4	0	1	TOTAL =		51	20,1	6,7	1						
13,4	6,7	1				TOTAL =		50						
20,1	6,7	2												
TOTAL =		65												

412			115			313			513			226		
OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO
0	6,7	1	0	6,7	3	0	6,7	6	0	6,7	2	0	6,7	2
0	9,8	7	0	9,8	3	0	9,8	2	0	9,8	1	0	9,8	5
0	13,4	2	0	20,1	2	0	13,4	1	6,7	6,7	5	0	13,4	2
0	20,1	3	6,7	6,7	4	0	20,1	1	6,7	9,8	4	6,7	6,7	2
6,7	6,7	2	6,7	9,8	2	6,7	6,7	1	6,7	13,4	4	6,7	9,8	4
6,7	9,8	2	6,7	20,1	1	6,7	9,8	9	6,7	20,1	2	6,7	13,4	2
6,7	13,4	8	9,8	0	1	6,7	13,4	9	9,8	6,7	2	9,8	9,8	1
6,7	20,1	2	9,8	9,8	1	6,7	20,1	2	9,8	9,8	3	9,8	13,4	1
9,8	6,7	1	9,8	13,4	3	9,8	13,4	1	13,4	6,7	1	13,4	6,7	1
9,8	13,4	1	9,8	20,1	3	13,4	20,1	1	TOTAL =		24	TOTAL =		20
13,4	6,7	1	13,4	6,7	4	TOTAL =		27						
20,1	6,7	1	13,4	9,8	2									
TOTAL =		31	13,4	20,1	1									

131			514			314			243			242		
OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO
6,7	0	5	0	6,7	1	0	6,7	1	6,7	0	1	0	6,7	1
9,8	0	4	0	9,8	1	0	13,4	1	6,7	6,7	1	0	9,8	4
9,8	6,7	1	0	20,1	1	6,7	6,7	3	6,7	9,8	4	0	13,4	1
13,4	0	1	6,7	6,7	3	6,7	9,8	4	6,7	13,4	2	6,7	6,7	2
13,4	6,7	1	6,7	9,8	6	6,7	13,4	6	9,8	6,7	3	6,7	9,8	2
20,1	0	1	6,7	20,1	1	9,8	6,7	1	9,8	9,8	1	6,7	13,4	1
20,1	6,7	1	9,8	6,7	1	9,8	9,8	1	13,4	9,8	1	9,8	6,7	1
20,1	9,8	1	9,8	9,8	3	TOTAL =		17	20,1	6,7	1	9,8	9,8	1
20,1	13,4	4	9,8	13,4	1				20,1	9,8	1	9,8	13,4	1
TOTAL =		19	TOTAL =		18				TOTAL =		15	TOTAL =		14

312			641			132			225			712		
OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO
0	6,7	1	0	6,7	1	6,7	0	1	0	9,8	2	0	6,7	1
0	9,8	4	0	9,8	2	6,7	6,7	1	0	13,4	1	0	13,4	1
0	13,4	3	0	20,1	1	9,8	6,7	1	6,7	9,8	1	6,7	9,8	1
6,7	13,4	2	6,7	9,8	2	13,4	0	1	6,7	13,4	2	6,7	13,4	1
9,8	6,7	1	6,7	20,1	1	20,1	6,7	2	20,1	9,8	1	6,7	20,1	1
9,8	20,1	1	9,8	13,4	1	20,1	20,1	1	TOTAL =		7	TOTAL =		5
13,4	6,7	1	TOTAL =		8	TOTAL =		7						
TOTAL =		13												

648			512			241			623			624		
OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO
0	6,7	1	0	6,7	1	13,4	9,8	1	0	6,7	1	6,7	20,1	1
0	9,8	1	6,7	9,8	1	TOTAL =		1	TOTAL =		1	TOTAL =		1
0	13,4	1	20,1	20,1	1									
TOTAL =		3	TOTAL =		3									

**Annex C**  
(normative)

**Example accident data**

Table C.1 defines the column headings and units used in Tables C.2 and C.3. The Los Angeles example data are given in Table C.2. The Hannover example data are given in Table C.3. These are the original data and are presented in non-SI units (miles per hour).

STANDARDSISO.COM : Click to view the full PDF of ISO 13232-2:2005



Table C.1 — Legend for Los Angeles and Hannover databases

Column heading	Definition	Units	Description
Ref no	Reference number	-	Each case has a reference number starting with 1 for each database. Case order is arbitrary.
OV cp	Opposing vehicle contact point	-	FO is front FC is front corner FW is front wheel (sorted with SF) SF is side front SM is side middle SR is side rear RW is rear wheel (sorted with SR) RC is rear corner RO is rear
MC cp	Motorcycle contact point	-	F is front S is side R is rear
OV sp	Opposing vehicle speed	miles per hour	-
MC sp	Motorcycle speed	miles per hour	-
RHA	Relative heading angle	degrees	See definition 3.1.12.1 in ISO 13232-1.
H	Helmet use	-	y if rider was wearing a helmet; n if rider was not wearing a helmet; "?" if unknown.
No inj	Number of reported injuries	-	The total number of reported injuries listed in column 10, Injuries.
MAIS	Maximum AIS	-	The highest AIS, as defined by AAAM, for all of the reported injuries.
Injuries	-	-	Description of injuries sustained during the accident. The 3-digit code for each injury defines the injury body region, the injury type, and the AIS for that injury.
BR	Injury body region	-	1 is the head 2 is the face 3 is the neck 4 is an upper extremity, including the shoulder 5 is the chest 6 is the abdomen 7 is the thorax 8 is the pelvis and/or hip 9 is a thigh 10 is a knee 11 is a lower leg 12 is an ankle and/or foot 13 is any other injury body region
T	Injury type	-	1 is an abrasion and/or contusion 2 is a laceration 3 is a rupture 4 is a dislocation 5 is a fracture 6 is an amputation 7 is a concussion 8 is a crush 9 is a hematoma 10 is any other type of injury
AIS	Abbreviated injury scale	-	The AIS describe the injury severity and are defined by AAAM as follows: 1 minor 2 moderate 3 serious 4 severe 5 critical 6 maximum 9 unknown

Table C.2 — Los Angeles data

Ref no	OV cp	MC cp	OV sp	MC sp	RHA deg	H	No inj	MAIS	Injuries															
									BR	T	AIS													
1	FC	S	8	10	10	y	2	1	11	2	1	11	1	1										
2	RO	F	15	30	0	y	3	3	11	2	1	10	1	1	8	4	3							
3	FC	S	10	35	35	y	3	3	9	5	3	8	1	1	12	1	1							
4	SF	F	0	14	90	y	2	1	9	1	1	10	1	1										
5	FO	S	15	15	100	n		1																
6	SR	F	20	28	150	n	1	1	4	1	1													
7	FO	S	0	35	110	y	1	3	11	5	3													
8	RO	S	10	17	75	y	1	1	10	1	1													
9	SF	F	5	15	100	y	2	1	10	1	1	10	1	1										
10	RC	F	99	26	20	n		3																
12	SM	S	23	28	10	n	3	1	4	1	1	4	1	1	8	1	1							
13	SM	F	10	30	120	n	4	2	2	2	1	2	2	1	1	7	1	2	5	1				
14	FC	S	30	15	120	n	2	1	11	2	1	6	1	1										
15	RO	F	0	15	0	n		1																
16	FO	S	28	10	100	n	5	3	11	5	3	12	4	3	4	1	1	11	1	2	2	1		
17	SF	F	15	22	130	y	2	2	10	2	2	11	2	1										
18	SM	F	30	30	90	n		3																
19	RO	S	10	20	60	y	2	3	11	5	3	11	2	1										
20	SM	S	3	15	5	y	3	1	11	1	1	10	1	1	1	2	1							
21	RC	F	0	45	0	y	6	3	11	5	3	11	5	3	7	4	3	5	3	3	7	5	2	
22	FC	S	10	30	10	n	5	5	1	7	2													
23	RO	F	0	16	15	n	3	2	11	5	2	12	2	1	4	1	1	1	7	5	1	1	1	
24	RO	S	0	35	15	y	1	1	12	4	1	1	5	2	2	1	1							
25	FO	F	0	15	175	n		0	11	1	1													
26	SM	F	12	26	130	y	3	2	11	1	1	10	2	2	2	1	1							
27	RO	F	0	12	10	n		1																
28	SM	F	8	27	80	n	3	1	6	1	1	11	1	1	9	1	1							
29	RC	S	0	15	0	y	4	1	4	1	1	10	1	1	6	1	1	1	7	1				
30	FC	S	5	20	90	y	5	2	11	2	2	9	1	1	12	4	1	10	1	1	3	10	1	
31	SF	F	10	30	90	n	3	1	8	1	1	9	1	1	10	1	1							
32	SM	S	25	30	150	n	8	3	9	5	3	11	5	2	4	1	1	7	1	1	7	1	1	
33	FO	S	8	20	120	n	2	1	1	1	3	1	1	3	1	5	3							
34	SR	S	21	24	5	n		1	10	1	1	10	1	1										
35	SF	F	0	15	90	n	1	1	9	1	1													
36	FO	F	8	5	120	n		1																
37	SF	F	15	33	70	y	4	1	12	1	1	5	1	1	4	1	1	6	1	1				
38	SR	F	10	25	120	n	2	1	11	1	1	6	1	1										
39	SF	S	20	40	10	n		3																
40	FO	F	8	42	135	n		3																
42	FC	S	5	20	120	y	2	1	10	1	1	12	2	1										
43	SM	S	15	20	150	n	4	3	12	5	3	11	1	1	12	1	1	1	1	1				
44	FO	R	53	20	5	n		2																
45	RC	S	15	40	15	n	3	2	10	3	2	11	2	1	10	1	1							
46	SF	F	0	20	80	y	4	2	4	1	2	12	1	1	8	1	1	10	2	1				
47	FC	S	15	20	90	n		2																
48	SM	F	19	22	90	n	3	1	5	1	1	1	7	1	3	4	1							
49	FC	S	10	26	100	n		3																
50	FO	R	15	0	0	n		1																
51	SR	S	7	20	90	y	2	3	10	4	3	4	2	1										
52	SF	F	8	38	65	n	3	1	10	1	1	10	1	1	5	1	1							
53	FO	S	15	38	110	n	7	6	12	4	3	11	1	1	10	1	1	1	5	4	1	5	4	
54	RC	S	0	32	35	y	4	3	1	3	6	3	5	3										
55	SF	F	12	27	90	y	3	2	12	5	2	11	5	3	11	2	2	8	1	1				
56	SF	F	35	40	90	n	8	5	5	5	2	4	5	2	9	1	1							
57	FC	S	20	30	25	y	4	2	4	1	1	4	4	2	5	2	1	10	2	1	1	5	3	
58	SF	S	5	25	35	y	3	1	11	5	2	11	2	1	8	1	1	4	1	1				
									11	2	1	9	1	1	4	2	1							

Ref no	OV cp	MC cp	OV sp	MC sp	RHA deg	H	No inj	MAIS	Injuries															
									BR	T	AIS													
61	SR	S	0	15	45	y	3	1	10	1	1	12	4	1	4	1	1							
62	FO	R	30	0	0	n		1																
63	SF	F	10	20	100	n	4	1	6	1	1	9	1	1	2	1	1	1	7	1				
64	FC	S	8	28	150	y	1	2	11	5	2													
65	FO	S	10	32	135	y	7	3	11	5	3	12	5	2	10	5	3	9	5	3	8	5	2	
66	SM	F	15	38	120	n	4	1	4	5	2	10	2	2										
67	SR	F	10	18	105	n		1	6	1	1	11	1	1	11	1	1	4	1	1				
68	FC	S	0	27	45	n	5	2	12	4	2	12	1	1	10	1	1	7	1	1	4	1	1	
69	FC	S	6	28	60	n	6	1	12	5	1	5	1	1	7	1	1	4	1	1	10	1	1	
70	FO	S	15	28	110	n	5	1	5	1	1	10	1	1	12	1	1	9	1	1	12	1	1	
71	SF	F	17	20	130	n	4	1	4	1	1	11	1	1	12	2	1	11	1	1				
72	RC	S	35	33	10	y	1	1	10	1	1													
73	SM	S	0	31	40	n	4	3	10	1	1	11	1	1	8	4	3	4	1	1				
74	FC	S	16	12	40	y	3	1	4	1	1	11	1	1	2	1	1							
75	FW	F	15	30	140	n	9	2	4	1	1	4	1	1	4	5	2	5	1	2	5	1	1	
76	SM	S	25	20	150	n	5	3	9	1	1	11	1	1	1	1	1	2	1	1				
77	SR	F	15	32	100	n		1	4	5	2	5	5	3	10	1	1	1	5	3	1	3	3	
78	SM	F	7	25	75	n	8	1	10	1	1	9	1	1	6	1	1	4	1	1	2	1	1	
79	SM	S	7	25	115	y	4	3	3	4	1	2	1	1	2	1	1							
80	FO	S	10	25	140	n	5	3	4	5	2	11	5	2	10	1	1	4	1	1				
81	FC	S	30	40	5	y	5	3	6	1	1	5	1	1	6	1	3	4	1	1	6	2	1	
82	RO	F	20	55	10	n	5	1	11	5	3	10	1	1	4	1	1	5	1	1	4	1	1	
83	RO	F	0	25	0	n	8	1	4	1	1	10	1	1	10	2	1	4	2	1	6	1	1	
84	SM	F	10	28	105	y	6	1	6	1	1	2	2	1	2	1	1	2	1	1	2	2	1	
85	SR	S	60	55	25	n	9	5	2	2	1	4	1	1	7	4	1	12	1	1	8	1	1	
86	FC	S	10	30	90	n	7	1	11	1	1	4	5	2	5	5	1	5	1	3	8	1	1	
87	FO	S	12	16	115	n	1	1	1	1	1	1	5	3	1	1	5	1	3	4	4	1	1	
89	SM	F	30	26	80	n	5	2	4	1	1	2	1	1	10	1	1	2	2	1	1	7	2	
90	SM	S	12	16	80	n	3	1	9	1	1	12	1	1										
91	SM	S	12	18	25	y	3	1	4	1	1	6	1	1	12	4	1							
92	FC	S	23	38	135	n	9	6	5	5	1	5	2	5	5	2	6	6	2	3	6	2	4	
93	SR	S	14	18	150	n		1	6	2	4	11	5	3	11	1	1	1	9	1				
94	SF	F	18	24	80	n		3																
95	FO	S	12	25	140	y	4	3	11	5	2	9	5	3	9	1	1	10	1	1				
97	SF	F	8	35	70	n		2																
98	RC	S	10	22	30	n	2	1	7	1	1	11	1	1										
99	SM	S	15	24	135	n	5	3	10	5	3	11	5	3	1	2	2	2	2	1	1	7	2	
100	RO	S	0	24	0	n	4	2	12	5	2	8	1	1	4	1	1	6	1	1				
101	FC	S	0	30	135	y	1	2	10	2	2													
102	FO	R	67	30	0	n	2	2	9	1	2	10	2	1										
103	FC	S	5	39	30	y	2	1	8	1	1	11	1	1										
104	RC	S	12	40	140	n	2	2	12	5	2	4	1	1										
105	SF	F	6	35	120	y	6	1	5	1	1	4	1	1	4	1	1	9	1	1	10	2	1	
106	SF	F	10	15	120	y	2	1	1	2	1													
107	FO	S	15	20	140	n		1	10	1	1	4	1	1										
108	SM	S	10	12	35	n		1																
109	SR	S	0	14	145	n	1	1	12	2	1													
110	RO	F	10	30	20	n	6	1	5	1	1	9	1	1	11	1	1	4	1	1	6	1	1	
									2	1	1													

Ref no	OV cp	MC cp	OV sp	MC sp	RHA deg	H	No inj	MAIS	Injuries														
									BR	T	AIS												
111	FO	S	12	30	150	n	10	5	2	1	1	6	2	4	5	2	5	9	5	3	5	2	1
112	SR	S	20	23	135	y	2	1	6	1	2	2	5	3	1	5	3	1	3	3	1	3	1
113	FO	S	13	17	135	n	2	1	10	1	1	8	1	1									
114	RO	F	15	28	0	n	3	1	11	1	1	11	1	1									
115	FC	S	18	30	130	n		2	11	1	1	10	1	1	12	1	1						
116	FC	F	12	20	135	n	3	2	6	1	2	12	1	1	1	9	1						
117	SM	F	15	20	110	n		1															
118	FO	F	10	26	150	n		1															
119	SR	S	12	14	10	n	5	2	12	1	2	12	2	1	4	1	1	1	1	1		7	2
120	FO	F	10	23	135	n		1															
121	RC	S	0	43	20	n	7	3	11	5	3	4	2	1	10	1	1	2	2	1	1	9	1
122	RO	S	10	30	45	n	5	3	1	7	2	1	2	1									
123	SR	F	5	45	135	n	8	4	11	5	3	12	2	1	4	1	1	4	1	1		7	1
124	SM	S	8	25	30	n	3	2	9	6	4	8	5	2	6	1	3	5	3	4		9	1
125	FW	F	12	32	140	y	8	3	6	1	1	2	1	1	1	3	3						
126	SR	F	19	35	90	n	13	5	10	1	1	4	1	2	2	2	1	2	2	1		2	5
127	SF	F	17	30	125	n	4	1	10	5	3	4	1	2	11	1	1	2	5	2		2	5
128	SM	S	15	15	160	n		1	1	7	2	2	2	1	2	2	1	2	2	1			
129	FC	S	8	15	90	n		1	4	1	2	7	1	1	10	1	1	10	1	1		12	1
130	FO	F	0	45	180	n		3	6	1	1	1	5	2	1	3	3	1	1	5		2	1
131	RC	S	0	18	35	n	3	1	1	5	3	1	3	3	1	5							
132	SM	S	12	35	90	y	11	5	9	1	1	10	2	2	4	5	3	11	1	1	10	2	1
133	RO	F	10	18	0	n		1	1	1	1	1	1	1	10	1	1	1	1	1			
134	FC	S	22	10	75	y	3	2	1	1	1	4	1	1	12	1	1						
135	SF	S	25	30	15	y	5	1	11	2	1	4	1	1	10	1	1	11	1	1	12	1	1
136	SR	F	10	14	90	y	2	1	10	5	1	4	1	1									
138	SM	S	23	20	20	y	2	1	10	1	1	4	1	1									
139	FC	S	12	25	135	y	6	1	12	4	1	10	1	1	10	1	1	12	4	1	4	1	1
140	RO	F	0	21	10	y	3	1	12	1	1	11	1	1	2	1	1						
141	FC	S	10	11	70	y	1	2	9	1	1	11	1	1									
142	FO	R	65	35	0	y	13	6	12	5	2	7	5	3	5	2	6	8	5	4	6	2	4
144	SR	S	15	17	90	n	2	1	6	2	4	4	5	3	9	5	3	12	5	3	1	5	6
145	RC	S	15	30	25	n	2	1	1	3	6	3	2	2	3	5	3						
146	FC	S	10	20	135	n	6	2	1	1	1	4	1	1									
147	SF	S	15	42	15	n	11	5	11	1	1	4	1	1	4	1	1	9	1	1	1	1	1
148	SF	S	15	30	35	y	2	1	1	7	2	7	1	1	4	1	1	5	1	1	10	1	1
149	FC	S	25	15	25	y	4	2	4	1	1	10	1	1									
150	FC	F	10	22	85	n	3	1	1	5	3	1	1	1	4	1	3	1	1	4	1	4	
151	FC	S	14	25	135	n		1	1	1	5												
152	FO	S	12	20	135	n	3	1	1	1	5	10	1	1									
153	SM	F	7	22	135	n	6	1	4	1	1	10	1	1	5	1	1	10	1	1	2	5	1
154	RC	S	13	21	15	n	1	1	1	1	5												
155	FO	S	15	22	110	n	4	1	1	1	5	12	1	1	4	1	1	10	2	1			
156	FC	S	10	34	140	y	3	3	1	1	5	10	1	1	4	1	1						
157	FC	S	25	20	30	n	3	1	4	1	1	10	1	1	4	1	1						

STANDARDSISO.COM · Click to view the full PDF of ISO 13232-2:2005

Ref no	OV cp	MC cp	OV sp	MC sp	RHA deg	H	No inj	MAIS	Injuries														
									BR	T	ALS												
158	SM	S	17	23	135	y	3	3	11	5	3	4	2	1	1	7	2						
159	SM	S	10	20	5	n	1	1	2	1	1												
160	SF	S	20	11	30	n		3															
161	RW	F	15	40	100	y	7	3	9	5	3	12	4	1	5	5	2	4	4	2	4	1	1
									6	1	1	6	1	1									
162	FC	S	0	27	135	n	5	3	11	5	3	10	4	3	12	5	2	12	2	1	4	1	1
163	FO	S	12	18	180	n	5	1	4	1	1	10	1	1	11	1	1	2	1	1	1	1	1
164	FC	S	5	20	135	n	10	5	5	5	4	5	2	5	4	5	3	5	1	1	5	2	5
									11	1	1	2	1	1	2	1	1	1	1	1	1	1	1
165	RO	F	20	35	10	y	2	1	10	1	1	4	1	1									
166	SM	S	8	27	35	n	6	2	4	1	1	4	1	1	10	1	1	12	1	1	2	2	2
									2	1	1												
167	RO	S	0	15	0	n		6															
168	FC	S	12	32	165	n	4	3	11	5	2	8	5	2	8	4	3	2	2	1			
169	RO	S	10	17	10	y	2	2	12	5	2	10	1	1									
170	SF	F	10	25	90	y	2	2	6	2	2	9	1	1									
171	SF	F	8	19	110	y	4	2	4	1	1	2	5	2	2	5	1	2	2	1			
173	FW	F	24	12	155	y	2	1	4	1	1	6	1	1									
174	FC	S	8	26	40	n		3															
175	FO	S	16	24	170	n	4	3	11	5	3	11	2	1	2	5	2	2	1	1			
176	SR	S	10	7	155	n	3	1	4	1	1	8	1	1	11	1	1						
177	SM	S	25	15	150	y	2	1	10	4	1	10	2	1									
178	FC	S	8	30	160	n	5	3	9	5	3	11	1	1	4	1	1	2	2	1	2	2	1
179	FO	S	46	30	10	y	3	2	10	1	1	10	1	1	12	5	2						
180	FO	S	8	28	135	y	3	2	11	2	2	10	1	1	4	1	1						
181	FC	F	8	20	150	n		1															
182	SF	F	5	22	80	n	4	2	10	5	2	9	1	1	4	1	1	10	1	1			
183	SF	S	25	25	5	y	3	2	2	5	1	2	2	1	2	5	2						
184	SF	S	8	15	40	n		1															
185	FC	F	13	25	90	n	3	1	6	1	1	11	1	1	4	1	1						
186	SF	F	18	30	140	n	7	2	10	4	1	12	5	2	4	1	1	9	1	1	6	1	1
									1	2	1	2	1	1									
187	SM	F	20	25	90	n	4	1	10	2	1	10	1	1	6	1	1	8	1	1			
188	FO	S	17	20	120	n		1															
189	SF	S	5	21	30	n		1															
190	FO	R	24	10	0	y	2	1	10	1	1	12	4	1									
191	SR	F	14	24	90	y	4	1	10	1	1	9	1	1	9	1	1	11	1	1			
192	FO	S	8	23	110	n		3															
193	SR	F	10	27	80	y	7	3	4	5	2	4	5	3	8	5	3	6	1	2	6	3	2
									9	2	2	10	2	1									
194	SM	F	10	35	120	n		2															
195	RO	S	0	15	80	n		3															
196	SM	F	0	12	135	n	3	2	10	1	1	7	1	1	2	1	1						
197	FO	R	26	0	0	n	4	3	11	5	3	10	1	1	1	2	2	1	1	1			
198	RC	S	0	25	0	n		1															
199	FO	S	14	12	165	y	1	1	12	5	1												
200	FC	S	21	18	85	y	5	1	8	1	1	11	1	1	7	1	1	12	4	1	4	1	1
201	SR	F	12	32	90	n		1															
202	FC	S	12	33	80	n	1	1	4	1	1												
203	SR	F	20	25	100	n	1	1	10	1	1												
204	FO	S	22	9	180	n	1	1	11	1	1												
205	SF	S	20	42	30	y	12	6	5	8	6	6	2	5	5	3	6	9	5	3	9	2	2
									8	5	4	6	2	5	1	1	1	1	5	3	1	9	1
									1	3	3	2	1	1									
206	FC	S	99	30	20	n	2	1	11	2	1	1	2	1									
207	FC	S	20	25	135	n		5															
209	SM	S	15	20	90	y	1	1	9	1	1												
210	RO	F	16	19	15	y	1	1	8	1	1												
211	FO	S	28	24	135	n	4	3	9	5	3	12	5	2	11	5	2	9	2	1			

Ref no	OV cp	MC cp	OV sp	MC sp	RHA deg	H	No inj	MAIS	Injuries														
									BR	T	AIS												
212	SM	F	40	13	90	y	3	2	4	4	2	10	1	1	10	1	1						
213	RO	F	10	33	5	y	3	1	10	1	1	11	1	1	6	1	1						
214	FO	S	17	25	125	y	5	3	8	5	2	9	1	1	7	5	2	12	5	3	12	5	2
215	SM	F	26	16	85	n	4	1	9	1	1	10	2	1	4	2	1	1	9	1			
216	FW	F	20	37	90	n	10	5	5	1	3	5	3	4	6	1	1	11	1	1	9	2	1
									1	1	4	1	3	5	1	5	3	1	5	2	1	1	3
217	SR	S	10	20	170	y	4	1	10	1	1	4	1	1	6	1	1	1	7	1			
218	FC	S	34	28	0	n	2	2	11	5	2	12	2	1									
219	RO	S	10	23	0	n		2															
220	SF	S	8	20	30	y	4	1	12	4	1	12	2	1	8	1	1	4	1	1			
221	FC	S	13	25	90	n	4	3	11	5	3	12	5	2	8	1	1	1	1	1			
222	FO	R	25	7	0	y	4	2	11	1	1	4	1	1	5	1	1	1	7	2			
223	SR	S	35	40	10	n		1															
224	SM	F	12	35	100	y	6	4	5	1	1	4	1	1	6	1	1	11	1	1	1	1	1
									1	9	4												
225	SR	S	10	16	15	y	2	1	9	1	1	4	1	1									
226	FO	S	7	13	130	n	4	1	6	1	1	5	1	1	4	1	1	1	1	1			
227	SM	F	10	27	105	n	3	3	11	5	3	6	1	2	1	2	1						
228	FO	S	15	25	125	n		1															
229	SR	F	20	10	140	y	2	1	4	1	1	12	1	1									
230	SR	F	17	53	100	n	5	6	5	2	2	5	3	6	5	2	5	11	1	1	10	2	1
231	SM	S	20	36	30	n	5	1	11	2	1	10	1	1	4	1	1	4	1	1	1	9	1
232	RO	F	0	8	80	n		1															
233	FC	S	9	10	135	n		2															
234	FW	S	35	15	30	n	5	3	7	1	1	7	5	3	4	1	1	10	1	1	11	1	1
235	RO	F	10	25	0	y	1	1	8	1	1												
236	SR	S	12	20	135	y	4	3	8	5	3	10	2	1	4	1	1	4	1	1			
237	FC	S	10	22	60	n		3															
238	FC	S	7	30	135	y	6	3	11	5	3	4	1	1	5	1	1	8	1	1	9	1	1
									1	7	1												
239	SF	S	50	0	10	n		3															
240	SR	S	50	55	20	y	2	1	2	5	1	2	1	1									
241	SR	S	40	50	20	y	8	1	11	1	1	9	1	1	4	1	1	4	1	1	10	2	1
									4	2	1	2	2	1	2	1	1						
242	FC	S	14	28	85	n		3															
243	FC	S	15	4	90	n	5	2	11	5	2	12	4	1	4	1	1	10	1	1	1	2	1
244	SM	F	0	37	110	n	5	3	4	5	3	4	2	1	11	2	1	9	2	2	1	1	1
245	FO	S	12	17	115	n		1															
246	FO	S	27	11	135	y	4	5	4	5	3	1	1	1	2	1	1	1	7	5			
247	SR	F	20	35	130	y	6	3	9	5	3	11	1	1	4	4	2	4	1	1	9	2	1
									6	1	1												
248	FC	S	25	26	85	y	3	2	4	5	2	5	1	1	9	1	1						
249	SM	F	7	30	75	n	7	3	5	5	3	4	5	2	6	1	1	6	3	2	4	1	1
									4	1	1	1	7	3									
250	FC	F	15	18	120	n		1															
251	FC	S	0	25	160	n	3	3	11	5	3	12	5	2	4	1	1						
252	SR	S	8	18	90	n	6	2	5	1	1	9	1	1	2	5	2	2	2	1	1	7	2
									2	5	1												
253	SF	F	10	22	100	n	7	1	12	1	1	10	1	1	4	1	1	4	1	1	11	1	1
									6	1	1	1	9	1									
254	FO	R	10	6	0	n		0															
255	RC	S	0	15	85	n		1															
256	FO	S	12	20	130	y	3	1	12	1	1	11	1	1	8	1	1						
257	FO	F	0	18	170	n	1	1	1	2	1												
258	FC	S	14	16	15	n	3	1	4	1	1	2	2	1	2	2	1						
259	RO	S	0	24	10	n		3															
260	FC	S	15	16	60	y	7	3	11	5	3	8	4	3	9	1	1	6	1	1	4	1	1
									2	2	1	2	2	1									
261	SF	F	15	15	90	y	2	1	11	1	1	4	2	1									

STANDARDSISO.COM · Click to view the full PDF of ISO 13232-2:2005

Ref no	OV cp	MC cp	OV sp	MC sp	RHA dag	H	No MAIS		Injuries															
							inj		BR	T	AI5													
262	FO	R	15	6	0	y	2	1	7	1	1	8	1	1										
263	SR	S	11	18	145	n	1	1	10	1	1													
264	FO	S	0	12	180	n	2	1	8	1	1	10	1	1										
265	FC	S	15	25	180	y	4	2	11	2	1	10	4	2	5	1	1	1	7	1				
266	SR	F	17	42	135	y	2	1	10	1	1	4	1	1										
267	SF	F	12	20	90	n																		
268	SM	F	10	18	90	y	7	2	5	1	1	11	1	1	4	5	2	11	1	1	4	1	1	
									8	1	1	1	1	1										
269	FO	S	8	10	45	n		1																
270	FC	S	9	25	160	n	4	2	11	5	2	10	1	1	1	5	2	2	5	1				
271	FO	S	8	15	10	n		1																
272	SM	F	30	35	90	n	4	4	11	5	2	10	2	1	1	5	4	1	7	2				
273	SR	F	12	20	75	y	3	1	4	1	1	10	1	1	12	1	1							
274	SF	S	10	14	20	n		1																
275	SM	F	15	23	70	n	7	2	8	1	1	6	1	2	10	1	1	5	1	1	1	2	1	
									2	2	1	2	2	1										
276	FO	S	12	15	110	y	4	1	12	1	1	12	1	1	7	1	1	4	1	1				
277	SF	F	15	43	90	y	5	3	11	5	3	11	1	1	8	1	1	6	1	1	1	7	1	
278	SR	F	21	23	140	n	4	3	12	5	3	4	3	2	6	1	1	4	1	1				
279	FC	S	3	15	90	y	2	1	10	1	1	4	1	1										
280	FO	S	19	11	150	n		1																
281	SM	F	5	15	85	n	1	1	4	1	1													
282	FO	R	60	47	0	n		1																
283	SF	F	15	30	130	n	5	4	5	5	2	4	5	2	6	1	1	11	1	1	1	7	4	
284	SM	S	22	26	90	n		1																
285	RC	S	45	60	10	n	3	1	12	5	1	12	2	1	1	1	1							
286	RO	S	9	12	90	n	2	1	9	1	1	8	1	1										
287	SR	S	5	22	10	y	2	1	11	1	1	8	1	1										
288	SF	F	0	40	90	n	4	2	6	2	1	9	1	1	11	1	1	4	1	1				
289	FW	F	15	26	105	y	4	1	6	2	1	10	1	1	4	1	1	4	1	1				
290	RO	F	10	30	0	n	8	2	12	2	1	9	1	1	6	1	1	2	5	2	2	5	2	
									2	1	1	2	3	1	2	2	1							
291	FO	R	17	0	0	y	2	1	10	1	1	11	1	1										
292	SR	F	25	12	90	y	3	2	4	1	1	11	1	1	6	1	2							
293	FC	S	46	18	90	n	4	3	8	5	2	9	5	3	12	1	1	1	2	1				
294	SM	S	5	20	25	y	5	2	12	5	2	11	2	1	12	2	1	11	1	1	10	1	1	
295	SF	S	0	18	75	n	2	1	10	1	1	6	1	1										
296	SM	S	23	14	45	n		1																
297	SF	F	8	35	40	y	4	4	11	5	3	11	2	2	4	5	2	6	3	4				
298	FO	S	31	35	90	n		3																
299	FO	S	24	12	110	y	5	1	10	4	1	11	1	1	5	1	1	4	1	1	4	1	1	
300	FC	S	7	12	150	n	2	2	11	5	2	4	1	1										
301	RO	S	0	14	30	n	3	1	9	2	1	6	1	1	2	2	1							
302	RO	F	1	16	20	n		0																
303	RW	F	12	35	90	n	5	3	4	1	1	9	1	1	6	1	1	11	1	1	1	1	1	
304	SM	S	9	6	140	n		1																
305	SR	S	17	19	135	y	2	2	11	1	1	9	1	1										
306	SM	S	0	15	150	n	3	1	11	2	1	10	1	1	9	1	1							
307	FC	S	45	43	15	y	4	2	4	1	1	10	1	1	12	5	2	12	2	1				
308	RC	S	25	8	20	n		0																
309	SF	F	16	20	140	n	4	3	10	4	3	4	1	1	5	1	1	9	1	1				
310	RO	F	0	23	0	y	3	1	10	2	1	10	1	1	6	1	1							
311	FO	S	23	15	95	y	1	1	10	1	1													
312	RW	F	10	15	90	n	3	1	4	1	1	4	1	1	6	1	1							
313	SF	S	15	17	135	y	8	1	7	2	1	4	2	1	11	2	1	11	1	1	10	1	1	
									2	2	1	2	2	1	1	2	1							
314	SM	S	0	26	170	n	5	3	8	1	1	5	1	1	4	2	1	1	7	3	3	4	1	
315	SM	S	22	24	90	y	2	2	12	2	2	12	5	2										
316	SR	F	30	17	90	y	1	1	2	2	1													

STANDARDSISO.COM. Click to view the full PDF of ISO 13232-2:2005

Ref no	OV cp	MC cp	OV sp	MC sp	RHA deg	H	No inj	MAIS	Injuries														
									BR	T	AIS												
317	RC	S	6	20	50	y	1	1	11	1	1												
318	SF	S	3	38	40	n		5															
319	RO	S	0	30	0	n	1	3	9	5	3												
320	SR	F	29	25	90	y	5	1	7	1	1	4	1	1	11	2	1	2	2	1	2	2	1
321	FO	R	60	50	0	y	1	3	11	5	3												
322	SR	F	20	11	90	n	1	1	11	1	1												
323	FC	S	28	10	90	n	3	2	11	5	2	2	2	1	1	7	1						
324	FO	S	20	15	150	n	4	2	9	2	1	8	1	1	9	1	1	1	7	2			
325	RO	F	0	30	30	n		1															
326	FO	F	25	35	125	n		6															
327	FW	F	16	26	135	n	5	1	8	1	1	6	1	1	2	1	1	2	1	1	2	1	1
328	FO	F	0	15	120	y	2	1	5	1	1	11	1	1									
329	FO	S	20	25	180	n	4	1	4	2	1	8	2	1	12	1	1	12	1	1			
330	FO	S	3	7	120	n		1															
331	SR	F	12	20	30	n		1															
332	RO	F	40	50	20	n		1															
333	FO	F	11	12	105	y	1	2	10	2	2												
334	SM	F	15	35	90	n	4	2	6	1	1	10	1	2	2	2	2	2	2	1			
335	SM	F	15	20	100	n		4															
336	SF	S	5	31	10	n	2	1	4	1	1	8	1	1									
337	SF	F	0	13	90	y	2	1	9	1	1	4	1	1									
338	RO	F	21	40	0	n		1															
339	FO	R	5	0	0	y	2	1	10	1	1	8	1	1									
340	RW	F	8	24	150	y	2	1	9	1	1	4	1	1									
341	FC	S	15	25	150	n	9	2	10	2	2	9	2	1	4	1	1	4	1	1	11	1	1
342	FO	F	8	15	125	n	3	1	5	5	1	2	5	2	2	5	2	2	2	1			
343	SF	F	10	35	90	y	8	5	9	2	1	6	1	2	10	2	1	11	1	1	10	4	1
344	FO	S	11	32	135	n	4	1	5	1	1	2	1	1	1	7	5						
345	SF	S	3	20	45	y	4	2	10	1	1	10	1	1	4	2	1	1	2	1			
346	RO	S	0	14	0	n		1	11	2	1	11	5	2	4	1	1	3	5	2			
347	FO	S	0	18	70	n		2															
348	RO	S	0	20	15	n		1															
349	SF	S	20	28	10	y	2	2	10	2	2	12	1	1									
350	FO	S	15	25	170	n	5	3	12	6	3	11	2	1	9	5	3	4	1	1	1	9	1
351	SF	S	18	32	25	y	1	1	11	1	1												
352	FC	S	40	20	170	n	3	3	9	5	3	11	1	2	10	1	1						
353	SF	F	15	40	100	n	9	4	11	1	1	6	1	1	8	4	3	4	1	1	4	5	2
354	FO	S	0	12	180	n	6	3	1	2	1	2	2	1	3	4	1	1	1	4			
355	SM	S	5	7	100	n	4	1	8	5	3	6	2	3	9	5	3	5	2	1	5	10	3
356	RO	F	0	15	0	y	4	1	1	7	2	4	1	1	11	1	1	3	4	1			
357	FO	S	10	38	140	n	5	3	10	2	1	10	1	1	11	1	1	2	5	1			
358	FO	R	7	0	0	n		1	11	5	3	10	5	2	11	3	1	8	4	3	11	3	1
359	SF	S	0	10	155	n		1															
360	FO	S	14	3	135	n	4	3	9	5	3	11	1	1	8	1	1	4	1	1			
362	RO	F	17	27	10	n	1	1	11	1	1												
363	SM	S	15	19	150	n		2															
364	FO	R	17	0	0	n	4	1	11	1	1	10	1	1	9	1	1	11	1	1			
365	SR	F	7	10	90	n		1															
366	FO	S	0	20	135	y	3	1	11	2	1	8	1	1	10	1	1						
367	SR	S	12	20	140	n	6	1	8	1	1	11	1	1	2	2	1	2	1	1	2	2	1
368	FO	R	10	3	0	y	4	1	1	7	1	8	1	1	10	1	1	6	1	1			
369	SM	S	99	18	120	n		3															
370	FC	S	42	25	90	n		6															
371	RC	S	10	18	90	n		2															



Ref no	OV cp	MC cp	OV sp	MC sp	RHA deg	H	No inj	MAIS	Injuria			BR	T	AIS											
									BR	T	AIS														
372	FC	F	8	12	160	n		1																	
373	FO	S	25	33	135	n	5	3	12	5	3	12	1	1	12	1	1	8	1	1	4	1	1		
374	SR	S	10	20	140	n	3	1	9	1	1	10	1	1	10	1	1								
375	FO	S	29	40	180	n		3																	
376	FO	R	55	30	0	n	3	1	4	1	1	6	1	1	10	4	1								
377	SM	F	10	15	120	n	6	1	10	1	1	11	1	1	4	1	1	4	1	1	4	1	1		
									2	2	1														
378	SM	F	25	43	90	n	9	5	4	1	1	4	1	1	8	2	5	11	1	2	11	1	1		
									2	1	1	1	5	3	2	1	1	1	1	1	3				
379	SM	F	21	32	115	y	8	3	10	5	3	6	1	3	9	1	1	2	5	3	3	2	1		
									1	7	2	2	5	1	2	2	1								
380	FC	S	15	36	160	y	6	3	12	5	2	11	5	3	4	1	1	4	1	1	6	1	1		
									1	1	1														
381	SR	S	13	28	135	n		2																	
382	FC	S	31	25	90	y	7	3	11	5	3	9	5	3	11	2	1	11	1	1	5	1	1		
									1	1	1	2	1	1											
383	FC	F	10	27	150	y	3	3	9	5	3	8	5	3	1	1	1								
384	SF	F	12	31	115	n	4	1	7	1	1	8	1	1	11	2	1	1	2	1					
385	SF	F	15	20	100	n	2	2	10	5	2	11	5	2											
386	SM	S	25	30	10	n		2																	
387	SM	F	20	5	50	n		1																	
388	RC	F	8	12	20	n		1																	
389	FO	S	13	8	105	y	2	1	4	1	1	7	1	1											
390	FO	S	15	33	135	n	9	3	11	5	2	12	2	1	11	5	2	6	1	2	2	1	1		
									2	5	3	1	5	4	1	7	3	1	1	1					
391	SF	F	15	15	135	n	3	1	10	1	1	4	1	1	1	2	1								
392	FO	S	14	18	180	n		1																	
393	RC	S	10	25	0	n		3																	
394	FO	S	42	15	155	n	11	4	5	1	3	6	2	4	10	1	1	4	1	1	11	1	1		
									9	1	1	1	5	3	1	2	1	1	3	4	2	1	1		
									1	1	4														
395	SM	F	15	25	140	n	5	2	10	9	2	4	1	1	11	1	1	6	1	1	1	7	2		
396	SM	F	20	10	80	y	4	1	12	2	1	11	1	1	8	1	1	4	1	1					
397	RC	S	25	30	15	y	2	1	12	5	1	10	1	1											
398	SM	S	25	15	15	n	2	1	10	1	1	4	1	1											
399	FO	S	7	10	90	y	1	1	10	1	1														
400	FC	S	10	15	115	n	2	1	11	1	1	12	1	1											
401	FW	F	20	22	150	y	2	3	4	5	3	8	1	1											
402	SR	F	15	20	90	n	3	2	10	1	1	12	5	2	9	1	1								
403	FC	S	8	26	135	n		1																	
404	SR	S	18	20	140	n	3	1	9	1	1	11	1	1	2	1	1								
406	FO	S	10	15	120	n	1	3	9	5	3														
407	RO	F	0	12	0	y	4	1	6	1	1	5	2	1	6	1	1	2	1	1					
408	SR	F	10	15	90	n	4	1	11	1	1	12	1	1	11	2	1	4	1	1					
409	FC	S	10	27	45	n	5	1	10	3	1	8	1	1	12	1	1	10	1	1	2	1	1		
410	FO	S	7	20	105	n	4	1	10	1	1	9	1	1	12	1	1	5	1	1					
411	FO	F	5	20	175	y	3	1	9	2	1	11	2	1	1	9	1								
412	SM	S	30	15	45	n	2	1	10	1	1	2	1	1											
413	SM	F	15	12	90	n	2	1	4	1	1	9	1	1											
414	FC	S	10	18	120	n	1	3	11	5	3														
415	RO	F	0	20	10	n	2	1	11	1	1	9	1	1											
416	RW	F	25	25	110	y	2	1	10	1	1	6	1	1											
417	FC	S	4	20	75	n	1	1	11	1	1														
418	FC	S	8	28	25	y	1	3	11	5	3														
419	FC	S	9	15	30	n		1																	
420	SF	F	16	24	90	n	4	1	10	2	1	11	1	1	8	1	1	1	9	1					
421	RO	F	0	23	0	y	7	2	4	5	2	4	5	2	10	5	2	10	2	2	11	2	1		
									6	1	1	2	1	1											
423	RO	F	0	34	10	n		2																	

STANDARDS ISO.COM - Click to view the full PDF of ISO 13232-2:2005

Ref	OV	MC	OV	MC	RHA	No	MAIS	Injuries		
no	cp	cp	sp	sp	deg	inj		BR	T	AIS

---

Total Cases: 410

Cases with Injury: 312

STANDARDSISO.COM : Click to view the full PDF of ISO 13232-2:2005

Table C.3 — Hannover data

Ref no	OV cp	MC cp	OV sp	MC sp	RHA deg	H	No inj	MAIS	Injuries																
									BR	T	AIS			AIS			AIS								
1	FO	F	6	9	180	n	12	2	1	2	2	2	9	1	1	1	1	1	1	2	1	1	3	1	1
									11	9	1	11	1	1	4	1	1	4	1	1	9	9	1		
									2	1	1	1	7	2											
2	FO	F	24	13	140	n	22	6	2	1	1	5	9	1	9	2	2	10	1	1	10	1	1		
									11	1	1	11	1	1	11	1	1	11	1	1	4	1	1		
									4	1	1	6	9	1	8	5	3	1	5	6	2	5	2		
									2	5	2	5	5	4	5	2	5	5	3	5	5	5	4		
									6	3	4														
3	FO	F	29	37	180	y	11	3	1	9	1	1	2	1	9	1	1	9	1	1	10	1	1		
									11	1	1	5	1	1	4	5	2	8	5	2	9	3	3		
									1	7	2														
4	FO	F	3	22	140	y	1	1	10	1	1														
5	FO	F	21	48	150	y	7	2	11	1	1	9	1	1	10	1	1	4	1	1	11	1	1		
									8	5	2	4	5	2											
6	FO	F	9	28	170	y	6	1	10	1	1	10	1	1	11	1	1	11	1	1	10	1	1		
									8	1	1														
7	FO	F	9	22	160	y	6	1	10	1	1	10	1	1	11	1	1	11	1	1	10	1	1		
									8	1	1														
8	FO	F	22	38	162	y	5	2	4	1	1	10	1	1	11	1	1	10	1	1	11	5	2		
9	FO	F	6	50	160	y	8	3	4	1	1	4	1	1	9	1	1	9	1	1	9	1	1		
									10	2	1	10	5	3	10	5	2								
10	FO	F	13	50	160	y	9	2	1	2	1	5	1	1	6	1	1	12	1	1	12	1	1		
									5	5	1	5	5	2	11	5	2	1	7	2					
11	FO	F	19	122	133	y	23	4	5	1	1	5	1	1	4	1	1	9	1	1	9	1	1		
									9	3	1	9	3	1	10	1	1	10	1	1	11	1	1		
									11	1	1	11	1	1	12	1	1	12	1	1	12	2	1		
									9	3	2	3	5	9	9	5	4	10	5	4	9	5	3		
									4	5	3	1	5	3	1	5	9								
12	FO	F	25	44	170	y	4	1	4	1	1	12	1	1	12	9	1	12	1	1					
13	FO	F	16	31	150	y	4	2	1	7	2	10	9	1	10	10	2	4	1	1					
14	FO	F	19	24	95	y	8	3	10	1	1	10	1	1	10	3	1	4	1	1	11	1	1		
									10	3	3	9	3	3	11	3	3								
15	FO	F	26	28	90	y	8	2	1	7	2	2	2	1	4	1	1	11	1	1	12	9	1		
									10	1	1	12	5	2	4	1	1								
16	FO	F	28	39	171	?	7	2	11	5	2	4	5	2	1	7	1	9	1	1	11	1	1		
									9	1	1	11	1	1											
17	FO	F	13	105	151	y	24	6	1	2	1	2	1	1	1	1	1	1	1	1	2	2	1		
									9	1	1	10	2	1	9	1	1	11	2	1	4	2	1		
									5	10	3	5	10	5	5	10	4	5	10	4	1	5	3		
									1	7	4	3	3	2	3	3	3	6	2	3	6	1	2		
									6	5	3	6	5	3	4	5	2	4	5	2					
18	FO	S	13	16	110	n	10	3	6	9	1	10	9	1	11	1	1	12	9	1	10	1	1		
									12	9	1	4	1	1	1	9	1	12	1	1	11	5	3		
19	FO	S	6	28	135	y	5	1	1	1	1	4	1	1	11	2	1	10	2	1	10	2	1		
20	FO	S	13	6	90	n	5	3	9	2	1	9	2	1	11	9	1	11	5	3	11	5	3		
21	FO	S	3	16	100	n	9	3	1	1	1	4	1	1	4	1	1	4	1	1	2	1	1		
									4	1	1	4	1	1	11	5	3	11	5	3					
22	FO	S	35	16	170	n	5	1	11	1	1	12	1	1	4	1	1	10	1	1	4	1	1		
23	FO	S	21	13	90	n	6	2	12	1	1	12	2	1	4	1	1	2	1	1	2	1	1		
									12	5	2														
24	FO	S	38	6	145	n	41	6	1	2	1	1	2	1	1	2	2	2	2	1	2	2	1		
									2	9	1	2	9	1	2	2	1	2	2	1	2	2	1		
									4	9	1	4	9	1	4	9	1	4	9	1	4	9	1		
									4	9	1	4	1	1	4	1	1	4	1	1	4	1	1		
									9	9	1	12	1	1	12	1	1	12	1	1	9	9	1		
									9	9	1	9	9	1	10	1	1	11	9	1	12	2	1		
									1	9	3	11	5	2	12	5	3	1	5	3	1	5	6		
									2	5	4	1	9	5	2	5	3	5	1	3	5	1	3		
									6	3	3														

Ref no	OV cp	MC cp	OV sp	MC sp	RHA deg	H	No inj	MAIS	Injuries														
									BR	T	AIS												
25	FO	S	21	26	155	y	6	3	4	1	1	11	1	1	8	5	3	8	4	3	11	5	3
26	FO	S	13	10	100	n	6	2	11	5	2	12	2	1	2	1	1	6	1	1	12	5	2
27	FO	S	24	16	140	n	9	2	12	5	2	1	2	1	2	2	1	10	1	1	12	1	1
28	FO	S	28	11	90	n	13	2	6	1	1	2	2	1	12	5	2	1	7	2	2	1	1
29	SM	S	6	19	110	n	4	1	1	1	1	2	1	1	2	2	1	11	1	1	4	1	1
30	SM	S	29	22	20	n	4	1	4	1	1	4	1	1	4	1	1	10	1	1	12	1	1
31	SM	S	25	18	130	y	5	2	4	9	1	10	2	1	4	9	1	5	5	2	1	7	2
32	SM	S	31	25	15	y	2	3	9	9	1	9	5	3									
33	SM	S	36	9	45	n	17	2	1	1	1	2	1	1	2	1	1	10	1	1	10	1	1
34	SM	S	46	18	30	y	8	1	11	1	1	4	1	1	4	1	1	4	1	1	4	1	1
35	SM	S	3	13	48	n	7	3	4	1	1	4	1	1	9	1	1	10	1	1	10	2	1
36	SM	S	13	51	160	y	23	6	10	5	3	2	5	1									
37	SM	S	13	42	45	y	9	2	2	1	1	1	1	1	2	1	1	1	1	1	3	1	1
38	SM	S	13	36	37	y	3	1	5	1	1	4	4	3	4	1	1	4	1	1	9	1	2
39	SM	S	9	25	160	y	6	2	10	1	1	10	1	1	10	2	1	11	1	1	11	1	1
40	SM	S	16	34	40	y	2	1	1	7	2	9	1	1	4	1	1						
41	SM	S	24	51	120	y	4	2	9	1	1	5	1	1	5	5	2	5	5	1			
42	SM	S	6	25	30	y	3	1	12	1	1	12	1	1	12	9	1						
43	SM	S	10	38	31	y	3	1	4	2	1	4	1	1	6	1	1						
44	SM	S	20	20	163	y	1	2	10	2	2	10	2	2									
45	SM	S	13	13	90	y	4	1	10	1	1	4	1	1	4	1	1	4	2	1			
46	SM	S	18	13	20	n	5	2	1	1	1	1	1	1	2	1	1	5	5	2	1	7	2
47	SM	S	13	24	30	y	2	1	11	1	1	4	1	1									
48	SM	S	6	33	20	y	7	3	4	1	1	4	1	1	10	1	1	10	3	2	4	2	1
49	SM	S	19	3	160	y	2	2	5	4	2	10	5	3									
50	SM	S	3	9	65	y	3	1	11	5	2	11	5	2									
51	SM	S	26	20	110	y	1	2	10	1	1	11	1	1	11	1	1						
52	SM	S	3	16	103	y	2	3	1	7	2	1	7	2									
53	SM	S	16	38	40	y	6	2	11	1	1	9	5	3									
54	SM	S	3	84	129	n	13	3	4	1	1	10	1	1	11	1	1	12	1	1	12	2	1
55	SM	S	3	38	12	y	17	1	1	1	1	2	1	1	6	1	1	6	1	1	6	1	1
56	SM	S	6	50	35	y	6	2	10	1	1	10	1	1	11	1	1	12	1	1	12	1	1
57	SM	S	16	28	48	y	4	1	12	1	1	4	5	3	8	5	2						
58	SM	S	13	28	120	y	3	2	4	2	1	4	2	1	4	1	1	4	1	1	4	1	1
59	SM	S	0	32	0	y	2	1	4	1	1	4	1	1	10	1	1	10	1	1	10	1	1
									11	1	1	12	1	1	12	1	1	4	1	1	11	1	1
									11	1	1												
									2	1	1	11	1	1	11	1	1	11	2	1	11	5	2
									11	5	2												
									4	1	1	4	1	1	4	1	1	10	1	1			
									9	1	1	12	5	2	12	2	1						
									11	1	1	11	1	1									

Ref no	OV cp	MC cp	OV sp	MC sp	RHA deg	H	No inj	MAIS	Injuries															
									BR	T	AIS													
60	SM	S	9	34	90	y	2	1	11	1	1	11	1	1										
61	SM	S	14	39	28	y	5	1	11	2	1	11	1	1	12	1	1	4	1	1				
62	SM	S	9	38	54	y	2	1	4	1	1	6	1	1										
63	SM	S	13	34	28	y	7	1	9	1	1	10	1	1	10	1	1	11	1	1	4	1	1	
64	SM	S	19	14	180	y	8	1	4	1	1	11	1	1	12	1	1	12	1	1	12	1	1	
65	SM	S	0	19	0	y	2	1	12	1	1	12	1	1	4	1	1							
66	SM	S	11	54	26	y	6	4	10	1	1	4	1	1	5	1	3	5	10	1	11	1	1	
67	SM	S	20	41	95	y	2	1	12	1	1	10	1	1										
68	RO	F	19	25	0	n	6	2	10	1	1	1	2	1	2	2	1	10	1	1	11	1	1	
69	RO	F	0	13	0	y	4	1	1	7	2													
70	RO	F	0	75	0	y	13	3	2	1	1	6	1	1	4	1	1	12	1	1				
71	RO	F	0	24	0	y	3	2	2	2	1	2	2	1	4	9	1	4	9	1	9	2	1	
72	RO	F	26	60	8	y	12	5	9	1	1	10	1	1	11	1	1	12	1	1	12	1	1	
73	RO	F	0	19	0	?		1	4	1	1	4	5	2	4	5	2							
74	RO	F	25	53	0	y	7	3	1	2	1	2	2	1	5	1	1	4	1	1	4	1	1	
75	RO	F	0	48	0	y	14	2	4	5	2	4	5	2	4	5	2	1	7	2				
76	RO	F	0	28	0	y	7	4	1	1	1	2	5	2	2	2	2	2	5	1	4	5	2	
77	RO	F	14	40	45	y	5	3	4	1	2	1	7	2										
78	FO	S	33	16	95	n	8	2	10	1	1	10	1	1	4	1	1	4	1	1	10	3	3	
79	FO	S	22	41	175	y	7	3	1	9	1	2	1	1	1	1	1	1	2	1	2	1	1	
80	FO	S	11	9	115	n	9	3	4	1	1	9	1	1	1	7	2							
81	FO	S	19	19	50	n	6	2	12	1	1	10	1	1	12	3	2	10	1	1	9	2	2	
82	FO	S	39	16	90	y	14	5	12	1	1	9	5	3										
83	FO	S	55	8	70	n	12	2	2	1	1	2	2	1	4	1	1	1	1	1	2	1	1	
84	FO	S	21	16	110	?		1	11	5	2	4	5	2	12	5	2	1	7	5				
85	FO	S	26	23	100	n	5	2	1	2	1	1	2	2	1	2	1	1	5	5	2	1	7	2
86	FO	S	31	11	117	n	8	2	10	1	1	10	1	1	1	7	2	2	1	1	10	1	1	
87	FO	S	51	16	10	n	6	3	1	2	1	4	1	1	9	1	1	4	5	2	4	5	3	
88	FO	S	13	19	127	n	8	3	1	1	1	2	1	1	3	1	1	5	1	1	11	1	1	
89	FO	S	11	16	0	n	4	2	12	1	1	1	7	3	1	5	3							
90	FO	S	16	21	123	y	5	2	11	10	1	4	10	1	11	5	2	11	5	2				
91	FO	S	58	16	42	n	10	4	10	1	1	11	1	1	11	1	1	11	5	2	11	5	2	
92	FO	S	94	63	30	y	8	3	1	2	2	1	2	2	4	2	1	6	1	1	9	1	1	
93	FO	S	0	16	85	y	1	1	5	5	2	9	5	3	9	5	3	1	7	4	6	1	1	

STANDARDSISO.COM: Click to view the full PDF of ISO 13232-2:2005

Ref no	OV cp	MC cp	OV sp	MC sp	RHA deg	H	No inj	MAIS	Injuries														
									BR	T	AIS												
94	FO	S	33	16	110	n	8	3	1	2	1	10	3	2	4	1	1	12	1	1	1	7	1
									4	5	2	11	5	3	11	5	2						
95	FO	S	26	16	70	y	12	3	4	1	1	4	1	1	4	1	1	4	1	1	4	1	1
									10	1	1	9	1	1	9	1	1	12	2	1	9	5	3
									11	5	2	11	5	3									
96	FO	S	3	0	95	n	4	2	6	1	1	4	1	1	4	1	1	1	7	2			
97	FO	S	31	16	90	n	7	2	5	1	1	9	2	1	11	2	1	12	1	1	12	2	1
									12	4	1	1	7	2									
98	FO	S	49	3	85	n	19	6	4	1	1	3	1	1	6	1	1	4	1	1	6	2	1
									5	1	1	10	1	1	4	1	1	4	1	1	4	1	1
									6	1	1	10	1	1	1	9	5	10	2	2	10	9	2
									1	9	4	5	1	3	5	1	3	1	7	3			
99	FO	S	41	13	25	n	8	3	1	2	2	9	1	1	9	1	1	10	1	1	12	2	1
									11	5	3	2	5	2	1	5	6						
100	FO	S	26	13	90	n	4	1	10	1	1	6	1	1	11	9	1	12	9	1			
101	FO	S	21	0	75	n	10	3	9	1	1	9	9	1	11	9	1	11	1	1	4	1	1
									4	1	1	4	1	1	11	5	2	11	5	3	9	5	3
102	FO	S	9	16	68	n	1	1	10	1	1												
103	FO	S	15	15	114	y	5	1	10	1	1	10	1	1	12	1	1	12	1	1	4	1	1
104	FO	S	6	16	90	n	2	1	12	1	1	12	3	1									
105	FO	S	8	27	141	y	8	2	12	5	2	12	5	2	4	4	2	12	1	1	12	2	1
									11	1	1	11	1	1	1	1	1						
106	FO	S	35	24	161	y	7	3	1	1	1	10	1	1	4	1	1	4	1	1	4	5	3
									8	5	2	8	5	2									
107	FO	S	4	38	144	y	6	2	5	1	2	9	1	2	12	1	1	10	1	1	4	1	1
									4	2	2												
108	FO	S	16	35	124	y	12	3	8	5	3	8	4	3	12	5	2	1	1	1	11	1	1
									11	1	1	11	1	1	11	3	2	12	1	1	4	1	1
									4	1	1	12	2	2									
109	FO	S	7	14	89	n	3	1	6	1	1	12	3	1	12	1	1						
110	FO	S	31	15	96	y	1	1	3	1	1												
111	FO	S	13	18	93	n	5	1	4	1	1	4	1	1	11	1	1	11	1	1	10	1	1
113	FO	S	8	16	84	y	1	2	12	2	2												
114	FO	S	37	57	174	y	6	2	2	2	1	2	1	1	2	1	1	4	1	1	4	1	1
									10	2	2												
115	FO	S	18	22	119	y	6	1	1	7	2	9	1	1	6	1	1	4	1	1	10	1	1
									6	1	1												
116	FO	S	26	7	151	?	11	2	11	1	1	11	1	1	11	1	1	9	1	1	12	1	1
									4	1	1	4	1	1	4	1	1	10	1	1	4	5	2
									9	3	2												
117	FO	S	25	16	24	?	4	2	4	1	1	6	1	1	11	5	2	11	5	2			
118	RO	S	0	9	0	n	3	2	11	1	1	11	2	2	11	1	1						
119	RO	S	0	25	9	y	4	1	11	1	1	11	1	1	11	1	1	12	1	1			
120	RO	S	18	25	10	y	3	2	2	2	1	9	1	1	4	5	2						
121	RO	S	21	150	y	3	1	10	1	1	10	1	1	11	1	1							
122	FO	R	23	3	0	y	7	2	1	2	2	1	1	1	2	1	1	2	1	1	2	1	1
									5	1	1	1	7	2									
123	FO	R	15	9	40	n	10	2	2	2	1	1	9	1	2	9	1	2	1	1	4	1	1
									6	9	1	11	9	1	4	5	1	4	5	1	1	7	2
124	FO	R	50	0	0	n	25	6	1	2	1	1	2	2	6	9	1	10	1	1	10	1	1
									4	1	1	11	1	1	9	2	2	1	2	1	2	3	2
									4	1	1	4	1	1	2	5	3	1	5	3	2	5	3
									1	5	6	1	3	6	1	7	5	5	5	2	5	5	2
									2	5	3	1	5	6	2	5	1	2	5	3	1	9	3
125	FO	R	22	0	0	y	3	1	4	1	1	10	1	1	1	7	1						
126	SM	F	0	31	90	y	5	2	1	1	1	10	1	1	4	1	1	10	1	1	1	7	2
127	SM	F	6	54	25	y	7	3	4	1	1	4	1	1	9	1	1	8	1	1	10	1	1
									10	1	1	4	5	3									

Ref no	OV cp	MC cp	OV sp	MC sp	RHA deg	H	No inj	MAIS	Injuries														
									BR	T	AIS												
128	SM	F	3	9	90	y	6	3	2	1	1	3	2	2	10	1	1	4	5	3	4	5	2
129	SM	F	13	38	100	y	23	3	1	2	1	2	1	1	10	1	1	10	1	1	10	1	1
130	SM	F	27	6	110	n	3	3	10	1	1	10	1	1	4	1	1	4	1	1	4	1	1
131	SM	F	38	34	70	n	11	3	4	1	1	4	1	1	5	1	1	6	1	1	8	5	2
132	SM	F	9	42	157	n	16	2	8	5	3	11	5	2	4	5	3	4	5	3	4	5	2
133	SM	F	18	26	90	n	3	1	4	5	2	4	4	2	1	7	3						
134	SM	F	22	9	80	y	9	3	2	1	1	4	1	1	10	5	3						
135	SM	F	0	25	0	n	8	2	1	1	1	2	1	1	2	2	1	2	2	1	4	1	1
136	SM	F	34	13	90	n	16	2	4	1	1	10	1	1	1	7	2						
137	SM	F	3	3	90	y	5	2	2	1	1	1	2	1	2	1	1	4	2	1	4	2	1
138	SM	F	8	19	90	y	4	2	4	2	1	4	2	1	4	2	1	4	2	1	10	1	1
139	SM	F	11	63	140	y	17	4	10	1	1	2	2	1	4	5	2	4	5	2	2	5	1
140	SM	F	21	14	133	y	9	3	1	7	2	9	1	1	10	1	1	11	1	1	4	1	1
141	SM	F	4	52	140	y	7	2	3	10	3	6	1	1	9	1	1	4	5	2			
142	SM	F	6	30	123	y	13	3	4	1	1	4	1	1	4	1	1	6	1	1	10	1	1
143	SM	F	13	16	145	y	3	1	1	2	1	2	1	1	2	1	1	4	1	1	4	2	1
144	SM	F	9	29	47	n	9	2	9	1	1	9	1	1	10	1	1	12	1	1	12	1	1
145	SM	F	26	44	124	y	16	2	12	1	1	12	1	1	9	5	3						
146	SM	F	16	19	92	y	5	1	4	1	1	9	1	1	10	1	1						
147	SM	F	6	34	90	y	3	2	11	2	2	1	2	1	1	2	1	1	1	1	2	1	1
148	SM	F	3	19	90	y	3	1	2	1	1	4	2	1	4	2	1	4	1	1			
149	SM	F	3	19	90	y	3	1	3	1	1	2	1	1	2	1	1	2	1	1	4	1	1
150	SM	F	9	22	105	y	8	3	3	1	2	4	1	1	10	1	1	10	1	1	10	1	1
151	SM	F	4	54	64	y	4	2	11	1	1	12	1	1	12	1	1	4	1	1	4	5	2
152	SM	F	0	9	70	y	10	1	1	7	2	9	5	3	5	5	2						
153	SM	F	9	50	80	y	6	2	2	2	1	11	2	2	9	1	1	9	1	1			
									4	1	1	4	1	1	10	1	1	10	1	1	11	1	1
									11	1	1	9	1	1	10	2	1	4	9	1	11	5	2
									11	5	2												

Ref no	OV cp	MC cp	OV sp	MC sp	RHA deg	H	No inj	MAIS 5	Injuries														
									BR	T	AIS												
154	SM	F	6	63	10	y	43	5	1	1	1	5	1	1	9	1	1	11	1	1	11	1	1
									11	1	1	2	2	1	2	2	1	10	2	1	2	1	1
									5	1	1	6	1	1	5	1	1	9	1	1	10	1	1
									10	1	1	11	1	1	9	1	1	9	1	1	9	1	1
									9	1	1	9	1	1	10	1	1	10	1	1	5	9	5
									8	5	3	8	5	3	8	5	2	8	5	2	4	5	2
									4	5	2	1	5	3	1	9	3	5	5	1	5	5	1
									5	5	1	5	1	3	6	3	5	6	3	4	6	3	5
									6	1	3	6	3	4	5	2	5						
155	SM	F	0	25	65	y	3	2	10	2	1	4	1	1	9	10	2						
156	SM	F	13	16	90	y	4	1	9	1	1	10	1	1	10	1	1	11	1	1			
157	SM	F	9	36	142	y	1	2	5	5	2												
158	SM	F	8	0	0	?	1	1	10	1	1												
159	SM	F	22	51	100	y	2	1	10	1	1	9	1	1									
160	SM	F	17	48	101	y	10	3	1	1	1	1	5	2									
									1	10	3	12	1	1	12	5	1	9	1	1	12	9	1
161	SM	F	21	18	89	y	7	3	2	2	1	12	1	1	5	10	3	6	10	2	9	10	2
									9	10	2	4	5	3									
162	SM	F	18	35	40	y	3	1	15	1	1	10	2	1	9	1	1						
163	SM	F	9	25	55	y	10	3	4	5	3	10	1	1	10	1	1	11	1	1	12	1	1
									4	1	1	5	1	1	12	3	2	9	1	1	6	1	1
164	SM	F	19	28	135	?	2	1	12	5	1	12	1	1									
165	SM	F	16	35	26	y	11	1	2	1	1	4	1	1	11	1	1	11	1	1	15	10	9
									11	1	1	12	1	1	11	1	1	11	1	1	12	1	1
									9	1	1												
166	SM	F	1	13	119	y	5	1	3	1	1	4	1	1	4	1	1	4	1	1	10	1	1
167	FO	S	18	13	150	n	4	3	4	1	1	12	2	1	11	5	3	11	5	3			
168	FO	S	36	16	90	n	7	5	6	1	1	9	1	1	10	1	1	11	1	1	12	1	1
									1	5	3	1	7	5									
169	FO	S	61	22	90	n	11	5	6	1	1	4	1	1	4	1	1	12	1	1	1	1	1
									1	1	1	9	5	3	9	5	3	11	5	3	1	5	3
									1	7	5												
170	FO	S	34	29	90	n	5	3	11	9	1	11	5	3	11	5	3	11	5	3	11	5	2
171	FO	S	23	6	90	y	5	1	1	2	1	2	1	1	2	1	1	10	1	1	11	1	1
172	FO	S	28	24	120	n	5	3	1	1	1	4	1	1	4	1	1	11	5	3	11	5	3
173	FO	S	13	31	105	n	3	2	9	1	1	10	2	2	12	2	1						
174	FO	S	32	18	160	n	16	3	1	1	1	4	1	1	9	1	1	4	1	1	4	2	1
									5	1	1	1	1	1	2	1	1	2	1	1	2	1	1
									9	5	3	9	5	3	11	5	2	12	5	2	1	7	2
									5	5	2												
175	FO	S	3	31	116	y	8	3	4	1	1	10	3	2	12	1	1	4	1	1	12	1	1
									8	4	3	11	5	2	1	7	2						
176	FO	S	13	19	155	n	5	1	1	2	1	4	1	1	12	10	1	12	10	1	12	4	1
177	FO	S	42	16	140	n	5	2	9	1	1	2	2	1	12	2	1	11	5	2	11	5	2
178	FO	S	15	16	100	n	7	3	11	2	1	10	2	1	4	1	1	10	2	1	9	9	1
									10	1	1	11	5	3									
179	FO	S	14	18	90	n	4	1	5	1	1	4	2	1	12	2	1	12	1	1			
180	FO	S	28	13	120	n	9	3	1	2	2	4	1	1	10	1	1	6	1	1	1	1	1
									11	1	1	11	5	2	9	5	3	1	7	3			
181	FO	S	30	20	160	y	11	2	1	1	1	4	1	1	4	1	1	9	1	1	12	1	1
									12	1	1	10	1	1	4	1	1	4	1	1	9	1	1
									1	7	2												
182	FO	S	33	19	160	y	3	3	9	5	3	11	5	2	12	5	2						
183	FO	S	13	13	105	n	5	2	1	1	1	11	1	1	11	1	1	12	2	1	11	5	2
184	FO	S	32	16	170	n	6	5	1	2	2	1	7	2	11	5	3	11	5	3	2	5	4
									1	5	3												
185	FO	S	17	13	150	n	2	3	4	1	1	11	5	3									
186	FO	S	6	22	90	y	3	2	2	2	2	11	1	1	2	5	2						

STANDARDISO.COM · Click to view the full PDF of ISO 13232-2:2005



Ref no	OV cp	MC cp	OV sp	MC sp	RHA deg	H	No inj	MAIS	Injuries															
									BR	T	AIS													
187	FO	S	40	19	90	n	12	3	1	9	1	1	1	1	1	2	2	1	2	1	1	4	1	1
									4	1	1	4	1	1	10	1	1	10	1	1	11	1	1	
									4	1	1	1	7	3										
188	FO	S	18	16	90	y	6	2	10	1	1	10	1	1	12	1	1	12	1	1	9	4	2	
									9	5	2													
189	FO	S	0	38	152	y	19	6	2	1	1	2	1	1	2	1	1	3	9	1	5	1	1	
									4	9	1	9	1	1	9	1	1	9	1	1	10	1	1	
									10	1	1	10	1	2	11	1	1	11	5	3	9	5	3	
									11	5	3	1	7	5	5	5	4	3	5	9				
190	FO	S	13	29	117	y	3	3	10	1	1	11	5	3	11	5	3							
191	FO	S	58	15	100	y	4	2	4	1	1	4	1	1	4	5	2	1	7	2				
192	FO	S	18	3	75	n	5	2	6	1	1	10	1	1	11	1	1	11	5	2	11	5	2	
193	FO	S	11	13	90	y	2	1	10	1	1	12	2	1										
194	FO	S	36	16	0	n	11	4	4	10	1	4	10	1	4	10	1	10	10	1	4	5	2	
									8	5	2	11	5	2	11	5	2	11	5	2	1	5	4	
									8	5	3													
195	FO	S	6	22	96	y	5	3	10	3	2	2	1	1	4	1	1	11	5	3	11	5	3	
196	FO	S	0	41	85	y	5	3	10	2	2	12	1	1	12	2	1	12	2	1	12	3	3	
197	FO	S	31	9	100	n	12	1	1	1	1	1	1	1	2	1	1	2	2	1	4	1	1	
									11	1	1	11	1	1	12	1	1	12	1	1	12	1	1	
									12	1	1	12	1	1										
198	FO	S	36	3	49	y	7	3	9	2	1	9	2	1	10	1	1	10	1	1	12	1	1	
									12	1	1	11	4	3										
200	FO	S	13	28	30	y	3	3	4	1	1	11	2	2	12	4	3							
201	FO	S	19	13	150	?		1																
202	FO	S	19	19	165	y	10	1	4	2	1	1	1	1	4	1	1	4	1	1	4	1	1	
									9	1	1	10	1	1	11	1	1	11	1	1	11	1	1	
203	FO	S	18	16	90	y	6	2	2	2	2	1	1	1	10	2	2	10	1	1	10	1	1	
									2	2	2													
204	FO	S	16	31	105	y	3	4	6	1	1	11	5	3	11	5	3							
205	FO	S	32	13	90	n	8	4	10	1	1	12	1	1	2	9	1	12	1	1	1	7	3	
									4	9	4	12	5	3	2	5	2							
206	FO	S	9	31	110	y	5	2	10	2	2	11	1	1	12	1	1	4	1	1	4	1	1	
207	FO	S	6	25	90	y	6	1	10	2	2	10	1	1	10	1	1	11	1	1	9	1	1	
									4	1	1													
208	FO	S	25	3	90	n	5	1	2	2	1	2	1	1	2	1	1	4	1	1	4	1	1	
209	FO	S	34	19	75	n	7	4	2	9	1	1	7	4	11	5	2	11	5	2	1	5	2	
									1	5	2	1	5	2										
210	FO	S	9	22	100	y	4	1	10	1	1	10	1	1	11	1	1	11	1	1				
211	FO	S	13	21	136	?	2	1	11	1	1	11	1	1										
212	FO	S	7	31	124	?	8	1	12	2	1	11	1	1	12	1	1	12	1	1	4	1	1	
									4	1	1	4	1	1	4	1	1							
213	FO	S	16	12	91	n	2	1	1	2	1	1	2	1										

Total Cases: 211

Cases with Injury data: 208

**Annex D**  
(normative)

**Resulting frequency of injury by body region and injury type for the combined Los Angeles and Hannover databases**

The combined Los Angeles and Hannover databases have been additionally sorted by frequency of injury by body region and injury type and severity. The results are given in Tables D.1, D.2, and D.3. The three digits of the codes used in this Annex correspond to the OV contact point code, the MC contact point code, and the relative heading angle code, respectively.

**Table D.1 — Head injury configurations (helmeted concussions, AIS ≥ 2) involving 67 accidents**

Dimensions in metres per second

114			143			413			711			414		
OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury
0	13,4	1	9,8	9,8	2	0	9,8	1	0	9,8	1	0	20,1	1
6,7	6,7	1	13,4	6,7	6	0	13,4	2	0	20,1	1	6,7	9,8	3
6,7	9,8	1	20,1	0	2	6,7	13,4	1	6,7	9,8	1	6,7	20,1	1
6,7	13,4	2	20,1	6,7	2	6,7	20,1	1	9,8	20,1	1	9,8	6,7	1
6,7	20,1	1	20,1	9,8	1	9,8	9,8	1	TOTAL	=	4	9,8	13,4	1
9,8	6,7	4	TOTAL	=	13	13,4	6,7	1	9,8	20,1	1	9,8	20,1	1
13,4	6,7	1				13,4	9,8	1				TOTAL	=	8
TOTAL	=	11				TOTAL	=	10						
412			115			313			513			226		
OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury
6,7	20,1	1	0	6,7	1	6,7	13,4	1	0	6,7	1	6,7	9,8	1
TOTAL	=	1	6,7	20,1	1	13,4	20,1	1	TOTAL	=	1	TOTAL	=	1
			9,8	13,4	1	TOTAL	=	2						
			13,4	6,7	2									
			13,4	9,8	1									
			TOTAL	=	6									
131			514			314			243			242		
OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury
9,8	0	2	TOTAL	=	0	6,7	13,4	2	TOTAL	=	0	TOTAL	=	0
20,1	0	1				TOTAL	=	2						
20,1	6,7	1												
TOTAL	=	4												
312			641			132			225			712		
OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury
TOTAL	=	0	0	20,1	1	6,7	0	1	TOTAL	=	0	0	13,4	1
			TOTAL	=	1	20,1	6,7	1	TOTAL	=	0	TOTAL	=	1
						TOTAL	=	2						
648			512			241			623			624		
OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury
TOTAL	=	0	TOTAL	=	0	TOTAL	=	0	TOTAL	=	0	TOTAL	=	0

Table D.2 — Lower leg injury configurations (fractures, AIS ≥ 2) involving 80 accidents

Dimensions in metres per second

114			143			413			711			414		
OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower head injury
0	13,4	1	6,7	0	2	0	20,1	1	0	20,1	1	0	9,8	1
6,7	0	1	6,7	6,7	3	6,7	9,8	1	TOTAL	=	1	6,7	9,8	2
6,7	6,7	2	6,7	13,4	1	6,7	13,4	1				9,8	13,4	1
6,7	9,8	3	9,8	0	1	13,4	13,4	1	TOTAL	=	4	TOTAL	=	4
6,7	13,4	3	9,8	6,7	2	TOTAL	=	4						
9,8	6,7	1	13,4	6,7	3									
9,8	9,8	3	13,4	9,8	1									
13,4	0	1	20,1	9,8	1									
20,1	6,7	1	TOTAL	=	14									
TOTAL	=	16												
412			115			313			513			226		
OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury
0	20,1	1	6,7	9,8	1	6,7	9,8	1	TOTAL	=	0	0	6,7	1
TOTAL	=	1	6,7	20,1	1	6,7	20,1	1				0	9,8	2
			9,8	13,4	2	TOTAL	=	2				0	13,4	1
			13,4	6,7	3							6,7	6,7	1
			TOTAL	=	7							6,7	13,4	1
												9,8	13,4	1
												TOTAL	=	7
131			514			314			243			242		
OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury
9,8	0	1	TOTAL	=	0	TOTAL	=	0	6,7	0	1	0	9,8	1
13,4	6,7	1							6,7	9,8	1	6,7	6,7	1
TOTAL	=	2							9,8	6,7	1	9,8	6,7	1
									13,4	9,8	1	9,8	13,4	1
									TOTAL	=	4	TOTAL	=	4
312			641			132			225			712		
OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury
0	9,8	1	0	20,1	1	9,8	6,7	1	0	9,8	2	6,7	9,8	1
0	13,4	1	TOTAL	=	1	20,1	6,7	1	6,7	13,4	2	6,7	13,4	1
TOTAL	=	2				20,1	20,1	1	TOTAL	=	4	TOTAL	=	2
						TOTAL	=	3						
648			512			241			623			624		
OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury
0	13,4	1	TOTAL	=	0	13,4	9,8	1	TOTAL	=	0	TOTAL	=	0
TOTAL	=	1				TOTAL	=	1						

Table D.3 — Upper leg injury configurations (fractures, AIS ≥ 2) involving 37 accidents

Dimensions in metres per second

114			143			413			711			414		
OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper head injury
0	13,4	1	6,7	6,7	1	0	6,7	1	0	13,4	1	0	13,4	1
6,7	0	1	9,8	0	1	0	9,8	1	0	20,1	1	6,7	20,1	1
6,7	6,7	1	9,8	6,7	1	13,4	13,4	1	9,8	20,1	1	9,8	13,4	1
6,7	9,8	1	20,1	9,8	1	TOTAL	=	3	TOTAL	=	3	TOTAL	=	3
6,7	13,4	2	TOTAL	=	4									
6,7	20,1	1												
9,8	6,7	1												
9,8	9,8	1												
TOTAL	=	9												

412			115			313			513			226		
OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury
TOTAL	=	0	0	6,7	1	TOTAL	=	0	6,7	20,1	1	TOTAL	=	0
			6,7	9,8	1				TOTAL	=	1			
			9,8	20,1	1									
			13,4	6,7	2									
			TOTAL	=	5									

131			514			314			243			242		
OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury
20,1	13,4	1	9,8	13,4	1	TOTAL	=	0	13,4	9,8	1	6,7	13,4	1
TOTAL	=	1	TOTAL	=	1				20,1	6,7	1	TOTAL	=	1
									TOTAL	=	2			

312			641			132			225			712		
OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury
9,8	20,1	1	TOTAL	=	0	20,1	6,7	1	0	13,4	1	TOTAL	=	0
TOTAL	=	1				TOTAL	=	1	20,1	9,8	1			
									TOTAL	=	2			

648			512			241			623			624		
OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury
TOTAL	=	0	TOTAL	=	0	TOTAL	=	0	TOTAL	=	0	TOTAL	=	0

## Annex E (informative)

### Frequency of occurrence data in non-SI units

The frequency of occurrence for the combined Los Angeles and Hannover databases are presented in non-SI units of miles per hour. Table E.1 corresponds to Table B.1, E.2 to D.1, E.3 to D.2, and E.4 to D.3.

STANDARDSISO.COM : Click to view the full PDF of ISO 13232-2:2005

**Table E.1 — Opposing vehicle and motorcycle speeds and frequencies of occurrence for 200 combined Los Angeles and Hannover impact configurations**

Dimensions in miles per hour

114			143			413			711			414		
OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO
0	15	3	15	0	3	0	15	6	0	15	9	0	15	3
0	22	6	15	15	13	0	22	3	0	22	10	0	22	2
0	30	3	15	22	3	0	30	5	0	30	3	0	30	2
0	45	1	15	30	3	0	45	1	0	45	2	0	45	3
15	0	2	22	0	3	15	15	6	15	22	6	15	15	3
15	15	11	22	15	8	15	22	8	15	30	4	15	22	7
15	22	14	22	22	2	15	30	4	22	30	1	15	30	3
15	30	7	30	0	1	15	45	1	22	45	4	15	45	1
15	45	2	30	15	8	22	15	3	TOTAL	=	39	22	15	3
22	0	1	30	22	1	22	22	4				22	22	1
22	15	5	30	30	1	22	45	3				22	30	2
22	22	3	45	0	2	30	15	1				22	45	2
22	30	2	45	15	2	30	22	1				TOTAL	=	32
22	45	1	45	22	1	30	30	3						
30	0	1	TOTAL	=	51	45	15	1						
30	15	1				TOTAL	=	50						
45	15	2												
TOTAL	=	65												

412			115			313			613			226		
OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO
0	15	1	0	15	3	0	15	6	0	15	2	0	15	2
0	22	7	0	22	3	0	22	2	0	22	1	0	22	5
0	30	2	0	45	2	0	30	1	15	15	5	0	30	2
0	45	3	15	15	4	0	45	1	15	22	4	15	15	2
15	15	2	15	22	2	15	15	1	15	30	4	15	22	4
15	22	2	15	45	1	15	22	9	15	45	2	15	30	2
15	30	8	22	0	1	15	30	3	22	15	2	22	22	1
15	45	2	22	22	1	15	45	2	22	22	3	22	30	1
22	15	1	22	30	3	22	30	1	30	15	1	30	15	1
22	30	1	22	45	3	30	45	1	TOTAL	=	24	TOTAL	=	20
30	15	1	30	15	4	TOTAL	=	27						
45	15	1	30	22	2									
TOTAL	=	31	30	45	1									
			TOTAL	=	30									

131			514			314			243			242		
OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO
15	0	5	0	15	1	0	15	1	15	0	1	0	15	1
22	0	4	0	22	1	0	30	1	15	15	1	0	22	4
22	15	1	0	45	1	15	15	3	15	22	4	0	30	1
30	0	1	15	15	3	15	22	4	15	30	2	15	15	2
30	15	1	15	22	6	15	30	6	22	15	3	15	22	2
45	0	1	15	45	1	22	15	1	22	22	1	15	30	1
45	15	1	22	15	1	22	22	1	30	22	1	22	15	1
45	22	1	22	22	3	TOTAL	=	17	45	15	1	22	22	1
45	30	4	22	30	1				45	22	1	22	30	1
TOTAL	=	19	TOTAL	=	18				TOTAL	=	15	TOTAL	=	14

312			641			132			225			712		
OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO
0	15	1	0	15	1	15	0	1	0	22	2	0	15	1
0	22	4	0	22	2	15	15	1	0	30	1	0	30	1
0	30	3	0	45	1	22	15	1	15	22	1	15	22	1
15	30	2	15	22	2	30	0	1	15	30	2	15	30	1
22	15	1	15	45	1	45	15	2	45	22	1	15	45	1
22	45	1	22	30	1	45	45	1	TOTAL	=	7	TOTAL	=	5
30	15	1	TOTAL	=	8	TOTAL	=	7						
TOTAL	=	13												

648			512			241			623			624		
OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO	OVS	MCS	FO
0	15	1	0	15	1	30	22	1	0	15	1	15	45	1
0	22	1	15	22	1	TOTAL	=	1	TOTAL	=	1	TOTAL	=	1
0	30	1	45	45	1									
TOTAL	=	3	TOTAL	=	3									

Table E.2 — Head injury configurations (helmeted concussions, AIS ≥ 2) involving 67 accidents

Dimensions in miles per hour

114			143			413			711			414		
OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury
0	30	1	22	22	2	0	22	1	0	22	1	0	45	1
15	15	1	30	15	6	0	30	2	0	45	1	15	22	3
15	22	1	45	0	2	15	30	1	15	22	1	15	45	1
15	30	2	45	15	2	15	45	1	22	45	1	22	15	1
15	45	1	45	22	1	22	22	1	TOTAL	=	4	22	30	1
22	15	4	TOTAL	=	13	30	15	1				22	45	1
30	15	1				30	22	1				TOTAL	=	8
TOTAL	=	11				30	30	2						
						TOTAL	=	10						

412			115			313			513			226		
OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury
15	45	1	0	15	1	15	30	1	0	15	1	15	22	1
TOTAL	=	1	15	45	1	30	45	1	TOTAL	=	1	TOTAL	=	1
			22	30	1	TOTAL	=	2						
			30	15	2									
			30	22	1									
			TOTAL	=	6									

131			514			314			243			242		
OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury
22	0	2	TOTAL	=	0	15	30	2	TOTAL	=	0	TOTAL	=	0
45	0	1				TOTAL	=	2						
45	15	1												
TOTAL	=	4												

312			641			132			225			712		
OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury
TOTAL	=	0	0	45	1	15	0	1	TOTAL	=	0	0	30	1
			TOTAL	=	1	45	15	1				TOTAL	=	1
						TOTAL	=	2						

648			512			241			623			624		
OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury	OVS	MCS	FO head injury
TOTAL	=	0	TOTAL	=	0	TOTAL	=	0	TOTAL	=	0	TOTAL	=	0

Table E.3 — Lower leg injury configurations (fractures, AIS ≥ 2) involving 80 accidents

Dimensions in miles per hour

114			143			413			711			414		
OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower head injury
0	30	1	15	0	2	0	45	1	0	45	1	0	22	1
15	0	1	15	15	3	15	22	1	TOTAL	=	1	15	22	2
15	15	2	15	30	1	15	30	1				22	30	1
15	22	3	22	0	1	30	30	1				TOTAL	=	4
15	30	3	22	15	2	TOTAL	=	4						
22	15	1	30	15	3									
22	22	3	30	22	1									
30	0	1	45	22	1									
45	15	1	TOTAL	=	14									
TOTAL	=	16												
412			115			313			513			226		
OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury
0	45	1	15	22	1	15	22	1	TOTAL	=	0	0	15	1
TOTAL	=	1	15	45	1	15	45	1				0	22	2
			22	30	2	TOTAL	=	2				0	30	1
			30	15	3							15	15	1
			TOTAL	=	7							15	30	1
												22	30	1
												TOTAL	=	7
131			514			314			243			242		
OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury
22	0	1	TOTAL	=	0	TOTAL	=	0	15	0	1	0	22	1
30	15	1							15	22	1	15	15	1
TOTAL	=	2							22	15	1	22	15	1
									30	22	1	22	30	1
									TOTAL	=	4	TOTAL	=	4
312			641			132			225			712		
OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury
0	22	1	0	45	1	22	15	1	0	22	2	15	22	1
0	30	1	TOTAL	=	1	45	15	1	15	30	2	15	30	1
TOTAL	=	2				45	45	1	TOTAL	=	4	TOTAL	=	2
						TOTAL	=	3						
648			512			241			623			624		
OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury	OVS	MCS	FO lower leg injury
0	30	1	TOTAL	=	0	30	22	1	TOTAL	=	0	TOTAL	=	0
TOTAL	=	1				TOTAL	=	1						



Table E.4 — Upper leg injury configurations (fractures, AIS ≥ 2) involving 37 accidents

Dimensions in miles per hour

114			143			413			711			414		
OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper head injury
0	30	1	15	15	1	0	15	1	0	30	1	0	30	1
15	0	1	22	0	1	0	22	1	0	45	1	15	45	1
15	15	1	22	15	1	30	30	1	22	45	1	22	30	1
15	22	1	45	22	1	TOTAL	=	3	TOTAL	=	3	TOTAL	=	3
15	30	2	TOTAL	=	4									
15	45	1												
22	15	1												
22	22	1												
TOTAL	=	9												
412			115			313			513			226		
OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury
TOTAL	=	0	0	15	1	TOTAL	=	0	15	45	1	TOTAL	=	0
			15	22	1				TOTAL	=	1			
			22	45	1									
			30	15	2									
			TOTAL	=	5									
131			514			314			243			242		
OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury
45	30	1	22	30	1	TOTAL	=	0	30	22	1	15	30	1
TOTAL	=	1	TOTAL	=	1				45	15	1	TOTAL	=	1
									TOTAL	=	2			
312			641			132			225			712		
OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury
22	45	1	TOTAL	=	0	45	15	1	0	30	1	TOTAL	=	0
TOTAL	=	1				TOTAL	=	1	45	22	1			
									TOTAL	=	2			
648			512			241			623			624		
OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury	OVS	MCS	FO upper leg injury
TOTAL	=	0	TOTAL	=	0	TOTAL	=	0	TOTAL	=	0	TOTAL	=	0