
**Recycling of rare earth elements —
Requirements for providing
information on industrial waste and
end-of-life products**

*Recyclage des terres rares — Exigences pour la mise à disposition de
données relatives aux déchets industriels et aux produits en fin de vie*

STANDARDSISO.COM : Click to view the full PDF of ISO 22450:2020



STANDARDSISO.COM : Click to view the full PDF of ISO 22450:2020



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Forms of REEs in industrial waste and EOL products	2
4.1 General	2
4.2 In REE magnets	2
4.3 In LEDs	3
4.4 In NiMH batteries	3
4.5 In catalysts	3
4.6 Other REE waste products	3
5 Classification and codes	3
6 Recycling information	5
Annex A (informative) Forms for information exchange	6
Bibliography	13

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 298, *Rare earth*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Rare earth elements (REEs) comprise the lanthanoid series elements plus scandium and yttrium, which have similar chemical and physical properties and are often found in the same ores and deposits. The importance of REEs has increased greatly due to their important role in high performance and functional applications in permanent magnets, electric vehicles, motors, wind generators, light-emitting diodes (LED), nickel-metal hydride (NiMH) batteries, etc. Magnets can be also classified into manufacturing methods. The type of magnet is useful information for recycling procedures.

Magnets account for the highest market share of REEs by value. REE-containing multi-component alloys can have a complex compositional make-up. The variants include compositions such as $\text{Sm}_{62}\text{Co}_{38}$, $\text{Sm}(\text{Co}_{0.69}\text{Fe}_{0.2}\text{Cu}_{0.1}\text{Zr}_{0.01})_{7.2}$, $\text{Sm}(\text{Co}_{0.67}\text{Fe}_{0.22}\text{Cu}_{0.1}\text{Zr}_{0.07}\text{Ti}_{0.01})_{7.1}$, $\text{Sm}_2\text{Fe}_{17}\text{N}_x$, $\text{Nd}(\text{Fe},\text{Mo})_{12}\text{N}_x$, $\text{Sm}_3(\text{Fe},\text{M})_{29}\text{N}_x$, sintered $\text{Nd}_2\text{Fe}_{14}\text{B}/\alpha\text{-Fe}$, $\text{Sm}_2\text{Fe}_{17}\text{N}_x/\alpha\text{-Fe}$, PrFeCuB , $\text{Tb}_x\text{Dy}_{1-x}\text{Fe}_2$ ($x \sim 0.3$) and others are used in permanent magnets. Due to the complexity involved in processing of these magnets, several different manufacturing routes are used. During the production stages, industrial waste containing REEs is produced and often recycled. Magnets found in end-of-life (EOL) or broken electronics, hard disk drives, motors, generators, etc. also contribute to waste.

Phosphors and luminescence applications of REEs constitute about a one-third share of the total demand for REEs. REEs contained in $(\text{La}_{0.6}\text{Ce}_{0.27}\text{Tb}_{0.13})\text{PO}_4$, $(\text{Y}_{1.94}\text{Eu}_{0.06})\text{O}_3$, $(\text{Ba}_{0.9}\text{Eu}_{0.1})\text{MgAl}_{10}\text{O}_{17}$, $\text{Ca}_{0.98}\text{Eu}_{0.02}\text{AlSiN}_3$, $(\text{Y}_{0.98}\text{Ce}_{0.02})_3\text{Al}_5\text{O}_{12}$, etc. are important materials used in phosphor and LED semiconductor technology. The LED manufacturing process is complex and is undergoing much change with the growth of the industry and the changes in demand patterns of associated commodities. During the production stages of LEDs, a lot of waste is created, which is recycled. EOL LEDs found in broken smartphones, TVs, display panels, cameras, etc. also contribute to waste.

Batteries make up a relatively lower amount of the total demand for REEs. REEs contained in multi-component alloys such as LaNi_5 , $\text{La}_{0.8}\text{Nd}_{0.2}\text{Ni}_{2.5}\text{Co}_{2.4}\text{Si}_{0.1}$, $\text{La}_{0.8}\text{Nd}_{0.2}\text{Ni}_{2.5}\text{Co}_{2.4}\text{Al}_{0.1}$ and $\text{MmNi}_{3.5}\text{Co}_{0.7}\text{Al}_{0.8}$ are used in rechargeable NiMH batteries due to their superior hydrogen storage properties. The production of these NiMH batteries produces waste, which is generally recycled. EOL batteries also contribute to waste.

Numerous categories are schematically illustrated in [Figure 1](#) in which waste can be generated during manufacturing to the EOL stage for magnets, LEDs and batteries.




Figure 1 — Waste generation during various processes


Resource scarcity of these valuable commodities is inevitable. Furthermore, the accumulation of waste materials creates environmental and economic problems. A viable option to ensure a smooth balance of supply and demand is to recycle these elements.

Table 1 summarizes the expected REE waste stock that will be accumulated until 2020^[3]. It also gives the indication of recycled REE stock until 2020 by keeping in view the maturity of recycling techniques and industry.

Table 1 — Expected REE waste stock in the year 2020^[3]

REE application	Expected REE stock in 2020 (tons)	Recycling process efficiency	Recycled REE in 2020 (tons)
Magnets	300 000	55 %	2 333
Lamp phosphors	23 000	80 %	6 600
NiMH batteries	50 000	50 %	1 750
NOTE This table presents the current distribution, however, markets and waste distribution can change over time.			

There is a big difference in amount of waste generated by REEs and what is recycled due to a lack of maturity of recycling technologies and communication formats between manufacturers/producers and recyclers. In the REE recycling process, an important initial step is the identification of products containing REEs. A typical recycling process is shown in Figure 2.

**Key**

black arrows forward steps

red arrows additional steps proposed in this document

NOTE This document, ISO/TS 22451 and ISO 22453 are documents for ensuring a smooth recovery of REE from waste.

Figure 2 — Typical recycling process

This document defines REE-related substances that are recycled at the product stage as waste or EOL products and suggests ways to facilitate their recycling through an identification of the waste composition. ISO/TS 22451 specifies measurement methods of REEs in industrial waste and EOL products. ISO 22453 focuses on the management of a database obtained from communication with the producer, recycler and a management agency for effective recycling. The simultaneous application of these three documents is necessary to ensure the complete and efficient recycling of valuable REEs.

[STANDARDSISO.COM](https://standardsiso.com) : Click to view the full PDF of ISO 22450:2020

Recycling of rare earth elements — Requirements for providing information on industrial waste and end-of-life products

1 Scope

This document specifies the recycling information to be provided for rare earth elements (REEs) in industrial waste and end-of-life (EOL) products from manufacturers/producers to recyclers. It includes a classification system and forms for providing the recycling information.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 21067-1, *Packaging — Vocabulary — Part 1: General terms*

ISO 22444-1, *Rare earth — Vocabulary — Part 1: Minerals, oxides and other compounds*

ISO 22444-2, *Rare earth — Vocabulary — Part 2: Rare earth metals and their alloys*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 21067-1, ISO 22444-1, ISO 22444-2 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at <https://www.iso.org/obp>

— IEC Electropedia: available at <http://www.electropedia.org/>

3.1

rare earth element waste product

REE waste product

unusable substance containing rare earth elements

Note 1 to entry: REE waste products are generally generated during the production, processing or use of REE products such as magnets, *phosphors* (3.3), batteries, catalysts, lasers and others.

3.2

REE magnet

magnet that contains elements such as Nd, Sm and Dy

Note 1 to entry: REE magnets have a lot of application areas such as in parts of vehicles, home applications, wind turbine generators, high-performance AC servo motors and computer hard disk drives.

3.3

phosphor

fluorescent substance containing rare earth elements such as Y, La, Eu, Tb and Ce

Note 1 to entry: REE phosphors are widely used in LEDs and fluorescent lamps.

3.4 nickel-metal hydride battery NiMH battery

battery that uses the hydrogen storage property of alloys containing rare earth elements such as La, Nd and mischmetal

Note 1 to entry: Rechargeable NiMH batteries are used for hybrid vehicles and as portable batteries for small home appliances.

3.5 industrial waste

waste produced by industrial activity, which includes any material that is rendered useless during a manufacturing process such as that of factories, industries, mining and milling operations

Note 1 to entry: The waste from mills and mining operations is not a subject of this document. The industrial waste dealt with in this document can be subdivided into two categories: *processing waste* (3.6) and *scrap* (3.7).

3.6 processing waste

waste that comes from preparation and processing operations with magnets, fluorescent powder, rare alloys, etc., including of chips, flakes, broken pieces, powders, etc., which could be recycled by metallurgical methods to get valuable elements

3.7 scrap

recyclable materials left over from product manufacturing

Note 1 to entry: Unlike waste, scrap has monetary value, especially recovered metals. Non-metallic materials are also recovered for recycling.

3.8 end-of-life product EOL product

product that is at no longer useful or needed from the customer's point of view, because the product is broken, no longer functions properly or no longer satisfies the customer's requirements

4 Forms of REEs in industrial waste and EOL products

4.1 General

Significant quantities of REEs are present in industrial waste and in EOL products that can be recycled, to ensure a smooth balance between supply and demand chains. Representative forms of REEs in industrial waste are discussed in 4.2 to 4.6.

4.2 In REE magnets

During powder production, whether pre-alloyed or post-alloyed, lots of flakes are produced that are recycled. Similarly, powder of a size greater or smaller than the required size is also recycled. Later, screening operations also create waste powder, which is recycled along with cleaning solutions. Machining operations such as grinding, cutting (slicing), drilling and chamfering operations along the assembly line produce waste in the form of chips, flakes and broken magnet pieces. Extremely small chips are recycled along with coolants used during these manufacturing operations. During the fabrication of REE magnets, approximately 20 % to 30 % of the raw material in the form of processing waste and scrap can be recycled.

EOL REE magnets are found in broken motors, generators, hard disk drives, electronics, etc. Being relatively old, these magnets have often developed oxide layers, corrosion, etc.

4.3 In LEDs

During the manufacturing of LEDs, various processes including glass cutting, thin film application and encapsulation produce waste in the form of broken glass pieces, thin films and powder, which is recycled. Often these REEs are combined with organic and inorganic waste.

EOL LEDs are found in almost all kinds of broken modern electronics and contain REEs in the form of oxides and other compounds.

4.4 In NiMH batteries

Industrial waste from batteries is produced during electrode manufacturing, assembling, packing and handling in the form of broken or corroded electrode pieces and broken encapsulations. Often, these REEs are combined with organic and inorganic acids from electrolytes and transition element impurities from electrode terminals.

EOL batteries contain REEs in the form of solid waste such as broken pieces of electrodes and liquid slurries from electrolytes.

4.5 In catalysts

Rare earth oxides (REOs) have become a major application in catalysts for the petroleum and automotive industry. In the fluid catalytic conversion (FCC) process, La_2O_3 accounts for 90 % of the REOs used while the remaining 10 % is CeO_2 . The catalysts used in the FCC process are continuously rejuvenated for reuse until it becomes economically unfeasible. The spent catalysts, which can contain large quantities of REEs, are usually discarded.

4.6 Other REE waste products

Waste slurry containing Ce is generated in polishing in the glass industry. The waste polishing slurry can contain high quantity of recoverable Ce. Yttrium (Y), used in dental materials, laser light sources, etc., is generally not recycled due to poor economics and the absence of guidelines. However, in other applications it is generally recycled.

5 Classification and codes

To distinguish waste rare earth (WRE) in recycled products, the products have been classified using four digits as "WRExxx", as shown in Table 2. The first two digits identify the recycled products and the second two digits give the elemental or other important characteristics of each product. For the expansion of recycled products and changes in elemental characteristics, the first two digits and the second two digits after the number 99 mean "other REE waste products". REE magnets, LED phosphors, NiMH batteries, polishing agents, catalysts, laser crystals and other REE waste products are classified into WRE01xx, WRE02xx, WRE03xx, WRE04xx, WRE05xx, WRE06xx and WRE99xx, respectively.

Table 2 — Waste rare earth (WRE) products classification and code

Classification	WRE code	Details
WRE01xx		REE magnets
	WRE0101	Nd-based magnet
	WRE0102	Sm-based magnet
	WRE0199	Other REE-based magnet
WRE02xx		LED phosphors
	WRE0201	Garnet
	WRE0202	Silicates
	WRE0203	Sulfides
	WRE0204	Oxynitrides
	WRE0205	Nitrides
	WRE0206	Aluminates
	WRE0299	Other materials type phosphor
WRE03xx		NiMH batteries
	WRE0301	NiMH battery
	WRE0302	NiMH alloy powder
	WRE0399	Other materials of NiMH battery
WRE04xx		Polishing agents
	WRE0401	Polishing solid powder
	WRE0402	Polishing liquid
	WRE0499	Other polishing agent
WRE05xx		Catalysts
	WRE0501	FCC catalyst
	WRE0502	TWC
	WRE0503	VOC catalyst
	WRE0504	Diesel catalyst
	WRE0599	Other catalyst
WRE06xx		Laser crystals
	WRE0601	LYSO
	WRE0602	Nd:YVO ₄
	WRE0603	LaBr ₃
	WRE0604	Ce:YAG
	WRE0699	Other materials of crystal
WRE99xx		Other REE waste products
	WRE9999	Other REE waste products

6 Recycling information

The manufacturer/producer should provide the following recycling information to the recycler by filling in the suitable form given in [Annex A](#):

- a) the name of the supplier;

NOTE 1 The name of the supplier is included to support the information reliability.

- b) the name of the product;
- c) the gross mass;
- d) the physical form of the product;
- e) the date of production;
- f) the country and region;

NOTE 2 The country and region are important for information reliability due to different regulations that apply to the use of REEs. In addition, geological and climate conditions can play a role in deciding the content of REEs.

- g) the production method;

NOTE 3 The production method is important because compositions and recycling methods are dependent on the production method.

- h) the WRE code (see [Table 2](#));

- i) the content of the elements:

- 1) the main REE content in the processing waste or EOL products shall be stated;
- 2) the mass fraction range should be provided for industrial waste but not for EOL.

Further information may be provided with agreement between the parties.

Annex A (informative)

Forms for information exchange

A.1 Recycling form for REE magnets

The following form should be used for the effective and reliable transmission of information from the waste producer or EOL vendor for each specific component or product or waste shipment included in the REE magnets.

Supplier	
Product	
Gross mass	
Physical form	
Country	
Production method	
Code	
Main REE contents	
Elements	mass fraction %
Sc	
Y	
La	
Ce	
Pr	
Nd	
Pm	
Sm	
Eu	
Gd	
Tb	
Dy	
Ho	
Er	
Tm	
Yb	
Lu	

A.2 Recycling form for LED phosphors

The following form should be used for the effective and reliable transmission of information for LED phosphors.

Supplier	
Product	
Gross mass	
Physical form	
Country	
Production method	
Code	
Main REE contents	
Elements	mass fraction %
Sc	
Y	
La	
Ce	
Pr	
Nd	
Pm	
Sm	
Eu	
Gd	
Tb	
Dy	
Ho	
Er	
Tm	
Yb	
Lu	

A.3 Recycling form for NiMH batteries

The following form should be used for the effective and reliable transmission of information for NiMH batteries.

Supplier	
Product	
Gross mass	
Physical form	
Country	
Production method	
Code	
Main REE contents	
Elements	mass fraction %
Sc	
Y	
La	
Ce	
Pr	
Nd	
Pm	
Sm	
Eu	
Gd	
Tb	
Dy	
Ho	
Er	
Tm	
Yb	
Lu	

A.4 Recycling form for polishing agents

The following form should be used for the effective and reliable transmission of information for polishing agents.

Supplier	
Product	
Gross mass	
Physical form	
Country	
Production method	
Code	
Main REE contents	
Elements	mass fraction %
Sc	
Y	
La	
Ce	
Pr	
Nd	
Pm	
Sm	
Eu	
Gd	
Tb	
Dy	
Ho	
Er	
Tm	
Yb	
Lu	