



**INTERNATIONAL STANDARD ISO/IEC 10164-14:1996**  
**TECHNICAL CORRIGENDUM 1**

Published 1999-12-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION  
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОМИССИЯ • COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

# **Information technology — Open Systems Interconnection — Systems Management: Confidence and diagnostic test categories**

## **TECHNICAL CORRIGENDUM 1**

*Technologies de l'information — Interconnexion de systèmes ouverts (OSI) — Gestion-systèmes: Catégories de tests de confiance et de diagnostic*

*RECTIFICATIF TECHNIQUE 1*

Technical Corrigendum 1 to International Standard ISO/IEC 10164-14:1996 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10164-14:1996/COR1:1999

## INTERNATIONAL STANDARD

## ITU-T RECOMMENDATION

**INFORMATION TECHNOLOGY – OPEN SYSTEMS INTERCONNECTION –  
SYSTEMS MANAGEMENT: CONFIDENCE AND DIAGNOSTIC  
TEST CATEGORIES**

**TECHNICAL CORRIGENDUM 1**

**1) Subclause A.2.1**

*Replace* connectionTestResultPackage PACKAGE NOTIFICATIONS  
 "Rec. X.745 (1993) | ISO/IEC 10164-12:1994":testResultNotification connectionControlledResultsParam;;  
 PRESENT IF !Unsolicited reporting is supported.!

*with* connectionTestResultPackage PRESENT IF !Unsolicited reporting is supported.!

*Replace* REGISTERED AS {part14ObjectClass ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) managedObjectClass(3) 1};

**2) Subclause A.2.2**

*Replace* connectivityTestResultPackage PACKAGE NOTIFICATIONS  
 "Rec. X.745 (1993) | ISO/IEC 10164-12:1994":testResultNotification connectivityControlledResultsParam;;  
 PRESENT IF !Unsolicited reporting is supported.!

*with* connectivityTestResultPackage PRESENT IF !Unsolicited reporting is supported.!

*Replace* REGISTERED AS {part14ObjectClass ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) managedObjectClass(3) 2};

**3) Subclause A.2.3**

*Replace* "Rec. X.745 (1993) | ISO/IEC 10164-12:1994":timeoutPeriodPkg PRESENT IF

*with* timeoutPeriodPkg PRESENT IF

*Replace* dataIntegrityTestResultPackage PACKAGE NOTIFICATIONS  
 "Rec. X.745 (1993) | ISO/IEC 10164-12:1994":testResultNotification dataIntegrityControlledResultsParam;;  
 PRESENT IF !Unsolicited reporting is supported.!

*with* dataIntegrityTestResultPackage PRESENT IF !Unsolicited reporting is supported.!

*Replace* REGISTERED AS {part14ObjectClass ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) managedObjectClass(3) 3};

**4) Subclause A.2.4**

*Replace* loopbackTestResultPackage PACKAGE NOTIFICATIONS  
 "Rec. X.745 (1993) | ISO/IEC 10164-12:1994":testResultNotification loopbackControlledResultsParam;;  
 PRESENT IF !Unsolicited reporting is supported.!

*with* loopbackTestResultPackage PRESENT IF !Unsolicited reporting is supported.!

*Replace* REGISTERED AS {part14ObjectClass ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) managedObjectClass(3) 4};

## 5) Subclause A.2.5

*Replace* "Rec. X.721 (1992) | ISO/IEC 10165-2:1992":actualTestTimePackage,

*with* "Rec. X.745 (1993) | ISO/IEC 10164-12:1994":actualTestTimePackage,

*Replace* protocolIntegrityTestResultPackage PACKAGE NOTIFICATIONS  
"Rec. X.745 (1993) | ISO/IEC 10164-12:1994":testResultNotification protocolIntegrityControlledResultsParam;;  
PRESENT IF !Unsolicited reporting is supported.!,

*with* protocolIntegrityTestResultPackage PRESENT IF !Unsolicited reporting is supported.!,

*Replace* REGISTERED AS {part14ObjectClass ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) managedObjectClass(3) 5};

## 6) Subclause A.2.6

*Replace* "Rec. X.745 (1993) | ISO/IEC 10164-12:1994":testResultNotification  
resourceBoundaryControlledResultsParam;;

*with* "Rec. X.745 (1993) | ISO/IEC 10164-12:1994":testResultNotification  
resourceBoundaryControlledResultsParam;;

*Replace* REGISTERED AS {part14ObjectClass ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) managedObjectClass(3) 6};

## 7) Subclause A.2.7

*Replace* ATTRIBUTES resourceSelfTestResults;;

*with* ATTRIBUTES resourceSelfTestResults;;;

*Replace* resourceSelfTestResultPackage PACKAGE NOTIFICATIONS  
"Rec. X.745 (1993) | ISO/IEC 10164-12:1994":testResultNotification resourceSelfControlledResultsParam;;  
PRESENT IF !Unsolicited reporting is supported.!,

*with* resourceSelfTestResultPackage PRESENT IF !Unsolicited reporting is supported.!,

*Replace* REGISTERED AS {part14ObjectClass ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) managedObjectClass(3) 7};

## 8) Subclause A.2.8

*Replace* ;;; with ;;;;

*Replace* testInfrastructureTestResultPackage PACKAGE NOTIFICATIONS  
"Rec. X.745 (1993) | ISO/IEC 10164-12:1994":testResultNotification testInfrastructureControlledResultsParam;;  
PRESENT IF !Unsolicited reporting is supported.!,

*with* testInfrastructureTestResultPackage PRESENT IF !Unsolicited reporting is supported.!,

*Replace* REGISTERED AS {part14ObjectClass ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) managedObjectClass(3) 8};

## 9) Subclause A.3

Insert the following before **connectivityThresholdPkg**:

**connectionTestResultPackage** PACKAGE NOTIFICATIONS  
 "Rec. X.745 (1993) | ISO/IEC 10164-12:1994":testResultNotification connectionControlledResultsParam;  
 REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) package(4) 1};

**connectivityTestResultPackage** PACKAGE NOTIFICATIONS  
 "Rec. X.745 (1993) | ISO/IEC 10164-12:1994":testResultNotification connectivityControlledResultsParam;  
 REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) package(4) 2};

In **connectivityThresholdPkg**

replace REGISTERED AS {part14Package ??};

with REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) package(4) 3};

In **DataIntegrityResultsPkg**

replace **DataIntegrityResultsPkg**

with **dataIntegrityResultsPkg**

replace REGISTERED AS {part14Package ??};

with REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) package(4) 4};

Insert the following before **dataIntegrityThresholdPkg**:

**dataIntegrityTestResultPackage** PACKAGE NOTIFICATIONS  
 "Rec. X.745 (1993) | ISO/IEC 10164-12:1994":testResultNotification dataIntegrityControlledResultsParam;  
 REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) package(4) 5};

In **dataIntegrityThresholdPkg**

replace **dataIntegrityResultsBehaviour**

with **dataIntegrityThresholdBehaviour**

replace REGISTERED AS {part14Package ??};

with REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) package(4) 6};

In **dataUnitsPkg**

replace REGISTERED AS {part14Package ??};

with REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) package(4) 7};

In **loopbackResultsPkg**

replace **ATTRIBUTES** **loopbackResults** GET;

with **ATTRIBUTES** **loopbackResult** GET;

replace REGISTERED AS {part14Package ??};

with REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) package(4) 8};

Insert the following before **loopbackThresholdPkg**:

**loopbackTestResultPackage** PACKAGE NOTIFICATIONS  
 "Rec. X.745 (1993) | ISO/IEC 10164-12:1994":testResultNotification loopbackControlledResultsParam;  
 REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) package(4) 9};

In **loopbackThresholdPkg**

replace REGISTERED AS {part14Package 6};

with REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) package(4) 10};

In **loopbackTimeoutPkg**

replace Rec. X.745 (1993) | ISO/IEC 10164-12:1994:testResultNotification loopbackTxDelayParam

with "Rec. X.745 (1993) | ISO/IEC 10164-12:1994":testResultNotification loopbackTxDelayParam;"

*replace* REGISTERED AS {part14Package ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) package(4) 11};

*In* pDUREceptionPackage

*replace* REGISTERED AS {part14Package ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) package(4) 12};

*In* protocolIntegrityResultsPackage

*Remove* BEHAVIOUR protocolIntegrityResultsBehaviour;

*replace* REGISTERED AS {part14Package ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) package(4) 13};

*Insert the following before* resultIntervalPkg:

**protocolIntegrityTestResultPackage** PACKAGE NOTIFICATIONS

"Rec. X.745 (1993) | ISO/IEC 10164-12:1994":testResultNotification protocolIntegrityControlledResultsParam;

REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) package(4) 14};

**resourceSelfTestResultPackage** PACKAGE NOTIFICATIONS

"Rec. X.745 (1993) | ISO/IEC 10164-12:1994":testResultNotification resourceSelfTestControlledResultsParam;

REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) package(4) 15};

*In* resultIntervalPkg

*replace* REGISTERED AS {part14Package ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) package(4) 16};

*In* stateTransitionTimeIntervalPkg

*replace* REGISTERED AS {part14Package ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) package(4) 17};

*In* testConditionsPkg

*replace* REGISTERED AS {part14Package ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) package(4) 18};

*Insert the following before* timeoutPeriodPkg:

**testInfrastructureTestResultPackage** PACKAGE NOTIFICATIONS

"Rec. X.745 (1993) | ISO/IEC 10164-12:1994":testResultNotification testInfrastructureControlledResultsParam;

REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) package(4) 19};

*In* timeoutPeriodPkg

*replace* timeoutPeriod

*with* "Rec. X.745 (1993) | ISO/IEC 10164-12:1994":timeoutPeriod

*replace* REGISTERED AS {part14Package ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) package(4) 20};

*In* waitingIntervalPackage

*remove* BEHAVIOUR waitingIntervalBehaviour;

*replace* REGISTERED AS {part14Package ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) package(4) 21};

## 10) Subclause A.4

*Replace* REGISTERED AS {part14NameBinding 1};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) nameBinding(6) 1};

**11) Subclause A.5.1**

*Replace* TestCategories-ASN1Module.ConnectionTestResults;

*with* connectionTestResults;

**12) Subclause A.5.2**

*Replace* TestCategories-ASN.1Module.ConnectionTestInfo;

*with* TestCategories-ASN1Module.ConnectionTestInfo;

*Replace* connectionTestInfoParamBehaviour;

*with* connectionTestInfoParamBehaviour BEHAVIOUR

*Replace* ;;; with ;;

REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) parameter(5) 1};

**13) Subclause A.5.3**

*Remove* BEHAVIOUR connectionUncontrolledResultsParamBehaviour;

*Replace* REGISTERED AS {part14Parameter ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) parameter(5) 2};

**14) Subclause A.5.4**

*Replace* connectivityResultsParamBehaviour

*with* connectivityResultsParamBehaviour BEHAVIOUR

**15) Subclause A.5.5**

*Replace* connectivityUncontrolledResultsParamBehaviour;

*with* connectivityUncontrolledResultsParamBehaviour BEHAVIOUR

*Replace* ;;; with ;;.

*Replace* REGISTERED AS {part14Parameter ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) parameter(5) 3};

**16) Subclause A.5.6**

*Remove* BEHAVIOUR connectivityTestInfoParamBehaviour;

*Replace* REGISTERED AS {part14Parameter ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) parameter(5) 4};

**17) Subclause A.5.7**

*Remove* BEHAVIOUR dataIntegrityControlledResultsParamBehaviour;

**18) Subclause A.5.8**

*Remove* BEHAVIOUR dataIntegrityUncontrolledResultsParamBehaviour;

*Replace* REGISTERED AS {part14Parameter ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) parameter(5) 5};

**19) Subclause A.5.9**

*Remove* BEHAVIOUR dataIntegrityTestInfoParamBehaviour;

*Replace* REGISTERED AS {part14Parameter ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) parameter(5) 6};

**20) Subclause A.5.10**

*Replace* TestCategories-ASN1Module.LoopbackTestResults;

*with* loopbackResult;

*Remove* BEHAVIOUR loopbackControlledResultsParamBehaviour;

**21) Subclause A.5.11**

*Replace* TestCategories-ASN1Module.LoopbackTestResults;

*with* TestCategories-ASN1Module.LoopbackTestResult;

*Remove* BEHAVIOUR loopbackUncontrolledResultsParamBehaviour;

*Replace* REGISTERED AS {part14Parameter ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) parameter(5) 7};

**22) Subclause A.5.12**

*Remove* BEHAVIOUR loopbackTestInfoParamBehaviour;

*Replace* REGISTERED AS {part14Parameter ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) parameter(5) 8};

**23) Subclause A.5**

*Insert the following before A.5.13 and renumber subsequent subclauses:*

**A.5.13 Loopback transmission delay**

loopbackTxDelayParam PARAMETER

CONTEXT EVENT-INFO;

WITH SYNTAX TestCategories-ASN1Module.LoopbackTxDelayInfo;

REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) parameter(5) 9};

**24) Subclause A.5.13**

*Replace* TestCategories-ASN1Module.ProtocolIntegrityTestResults;

*with* protocolIntegrityResults;

*Remove* BEHAVIOUR protocolIntegrityControlledResultsParamBehaviour;

**25) Subclause A.5.14**

*Remove* BEHAVIOUR protocolIntegrityUncontrolledResultsParamBehaviour;

*Replace* REGISTERED AS {part14Parameter ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) parameter(5) 10};

**26) Subclause A.5.15**

*Remove* BEHAVIOUR protocolIntegrityTestInfoParamBehaviour;

*Replace* REGISTERED AS {part14Parameter ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) parameter(5) 11};

**27) Subclause A.5.16**

*Replace* TestCategories-ASN1Module.ResourceBoundaryTestResults;

*with* resourceBoundaryTestResults;

**28) Subclause A.5.17**

*Replace* REGISTERED AS {part14Parameter ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) parameter(5) 12};

**29) Subclause A.5.18**

*Replace* resourceSelfTestInfoParamBehaviour;

*with* resourceSelfTestInfoParamBehaviour BEHAVIOUR

*Replace* REGISTERED AS {part14Parameter ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) parameter(5) 13};

**30) New subclauses A.5.19 and A.5.20**

*Insert the following before A.6:*

**A.5.19 Resource self test controlled results**

resourceSelfTestControlledResultsParam PARAMETER

CONTEXT EVENT-INFO;

WITH SYNTAX TestCategories-ASN1Module.ResourceSelfTestResults;

REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) parameter(5) 14};

**A.5.20 Test infrastructure controlled results**

testInfrastructureControlledResultsParam PARAMETER

CONTEXT EVENT-INFO;

WITH SYNTAX TestCategories-ASN1Module.TestInfrastructureTestResults;

REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) parameter(5) 15};

**31) Subclause A.6.1**

*Replace* REGISTERED AS {part14Attribute ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 1};

**32) Subclause A.6.2**

*Replace* REGISTERED AS {part14Attribute ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 2};

**33) Subclause A.6.3**

*Replace* REGISTERED AS {part14Attribute ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 3};

**34) Subclause A.6.4**

*Replace* REGISTERED AS {part14Attribute ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 4};

**35) Subclause A.6.5**

*Replace* REGISTERED AS {part14Attribute ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 5};

**36) Subclause A.6.6**

*Replace* REGISTERED AS {part14Attribute ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 6};

**37) Subclause A.6.7**

*Replace* REGISTERED AS {part14Attribute ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 7};

**38) Subclause A.6.8**

*Replace* REGISTERED AS {part14Attribute ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 8};

**39) Subclause A.6.9**

*Replace* REGISTERED AS {part14Attribute ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 9};

**40) Subclause A.6.10**

*Replace* loopbackResults ATTRIBUTE

*with* loopbackResult ATTRIBUTE

*Replace* TestCategories-ASN1Module.loopbackTestResults;

*with* TestCategories-ASN1Module.LoopbackTestResult;

*Replace* REGISTERED AS {part14Attribute ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 10};

**41) Subclause A.6.11**

Replace ??????;

with TestCategories-ASN1Module.Timespec;

Replace REGISTERED AS {part14Attribute ??};

with REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 11};

**42) Subclause A.6.12**

Replace REGISTERED AS {part14Attribute ??};

with REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 12};

**43) Subclause A.6.13**

Append a second semi-colon to the end of the DEFINED AS clause.

Replace REGISTERED AS {part14Attribute ??};

with REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 13};

**44) Subclause A.6.14**

Replace REGISTERED AS {part14Attribute ??};

with REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 14};

**45) Subclause A.6.15**

Replace REGISTERED AS {part14Attribute ??};

with REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 15};

**46) Subclause A.6.16**

Append a second semi-colon to the end of the DEFINED AS clause.

Replace REGISTERED AS {part14Attribute ??};

with REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 16};

**47) Subclause A.6.17**

Replace REGISTERED AS {part14Attribute ??};

with REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 17};

**48) Subclause A.6.18**

Replace REGISTERED AS {part14Attribute ??};

with REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 18};

**49) Subclause A.6.19**

Replace REGISTERED AS {part14Attribute ??};

with REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 19};

**50) Subclause A.6.20**

*Append a second semi-colon to the end of the DEFINED AS clause.*

*Replace* REGISTERED AS {part14Attribute ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 20};

**51) Subclause A.6.21**

*Replace* statetTransitionTimeInterval

*with* stateTransitionTimeInterval

*Replace* TestCategories-ASN1Module.StatetTransitionTimeInterval;

*with* TestCategories-ASN1Module.StateTransitionTimeInterval;

*Replace* REGISTERED AS {part14Attribute ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 21};

**52) Subclause A.6.22**

*Replace* TestCategories-ASN1Module.TestConditions

*with* TestCategories-ASN1Module.TestConditions;

*Replace* REGISTERED AS {part14Attribute ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 22};

**53) Subclause A.6.23**

*Replace* REGISTERED AS {part14Attribute ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 23};

**54) Subclause A.6.24**

*Replace* REGISTERED AS {part14Attribute ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 24};

**55) Subclause A.6.25**

*Replace* REGISTERED AS {part14Attribute ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 25};

**56) Subclause A.6.26**

*Replace* REGISTERED AS {part14Attribute ??};

*with* REGISTERED AS {joint-iso-itu-t ms(9) function(2) part14(14) attribute(7) 26};

**57) Subclause A.7**

*Replace* DEFINITION IMPLICIT TAGS

*with* DEFINITIONS IMPLICIT TAGS